

NAME

gsasl_hex_to - API function

SYNOPSIS

```
#include <gsasl.h>
```

```
int gsasl_hex_to(const char * in, size_t inlen, char ** out, size_t * outlen);
```

ARGUMENTS

const char * in

input byte array.

size_t inlen size of input byte array.

char ** out pointer to newly allocated hex-encoded string.

size_t * outlen

pointer to size of newly allocated hex-encoded string.

DESCRIPTION

Hex encode data. The *out* string is zero terminated, and *outlen* holds the length excluding the terminating zero. The *out* buffer must be deallocated by the caller.

Return value: Returns **GSASL_OK** on success, or **GSASL_MALLOC_ERROR** if input was too large or memory allocation fail.

SINCE

1.10

REPORTING BUGS

Report bugs to <bug-gsasl@gnu.org>.

General guidelines for reporting bugs: <http://www.gnu.org/gethelp/>

GNU SASL home page: <http://www.gnu.org/software/gsasl/>

COPYRIGHT

Copyright (C) 2002-2022 Simon Josefsson.

Copying and distribution of this file, with or without modification, are permitted in any medium without royalty provided the copyright notice and this notice are preserved.

SEE ALSO

The full documentation for **gsasl** is maintained as a Texinfo manual. If the **info** and **gsasl** programs are properly installed at your site, the command

info gsasl

should give you access to the complete manual. As an alternative you may obtain the manual from:

<http://www.gnu.org/software/gsasl/manual/>