### **NAME**

gss\_canonicalize\_name - Convert an internal name to an MN

### **SYNOPSIS**

#include <gssapi/gssapi.h>

OM uint32

gss\_canonicalize\_name(OM\_uint32 \*minor\_status, const gss\_name\_t input\_name,
const gss\_OID mech\_type, gss\_name\_t \*output\_name);

# **DESCRIPTION**

Generate a canonical mechanism name (MN) from an arbitrary internal name. The mechanism name is the name that would be returned to a context acceptor on successful authentication of a context where the initiator used the <code>input\_name</code> in a successful call to <code>gss\_acquire\_cred()</code>, specifying an OID set containing <code>mech\_type</code> as its only member, followed by a call to <code>gss\_init\_sec\_context()</code>, specifying <code>mech\_type</code> as the authentication mechanism.

### **PARAMETERS**

minor\_status Mechanism specific status code.

input\_name The name for which a canonical form is desired.

mech\_type The authentication mechanism for which the canonical form of the name is desired. The

desired mechanism must be specified explicitly;

no default is provided.

output\_name

The resultant canonical name. Storage associated with this name must be freed by the application after use with a call to **gss\_release\_name**().

## **RETURN VALUES**

GSS\_S\_COMPLETE Successful completion.

GSS\_S\_BAD\_MECH The identified mechanism is not supported.

GSS\_S\_BAD\_NAMETYPE The provided internal name contains no elements that could be processed

by the specified mechanism.

GSS\_S\_BAD\_NAME The provided internal name was ill-formed.

### SEE ALSO

gss\_acquire\_cred(3), gss\_init\_sec\_context(3), gss\_release\_name(3)

## **STANDARDS**

RFC 2743 Generic Security Service Application Program Interface Version 2, Update 1

RFC 2744 Generic Security Service API Version 2 : C-bindings

## **HISTORY**

The **gss\_canonicalize\_name** function first appeared in FreeBSD 7.0.

#### **AUTHORS**

John Wray, Iris Associates

## **COPYRIGHT**

Copyright (C) The Internet Society (2000). All Rights Reserved.

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this paragraph are included on all such copies and derivative works. However, this document itself may not be modified in any way, such as by removing the copyright notice or references to the Internet Society or other Internet organizations, except as needed for the purpose of developing Internet standards in which case the procedures for copyrights defined in the Internet Standards process must be followed, or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by the Internet Society or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and THE INTERNET SOCIETY AND THE INTERNET ENGINEERING TASK FORCE DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.