

NAME

idna_to_unicode_44i - API function

SYNOPSIS

```
#include <idna.h>
```

```
int idna_to_unicode_44i(const uint32_t * in, size_t inlen, uint32_t * out, size_t * outlen, int flags);
```

ARGUMENTS

const uint32_t * in

input array with unicode code points.

size_t inlen length of input array with unicode code points.

uint32_t * out output array with unicode code points.

size_t * outlen

on input, maximum size of output array with unicode code points, on exit, actual size of output array with unicode code points.

int flags an **Idna_flags** value, e.g., **IDNA_ALLOW_UNASSIGNED** or **IDNA_USE_STD3_ASCII_RULES**.

DESCRIPTION

The ToUnicode operation takes a sequence of Unicode code points that make up one domain label and returns a sequence of Unicode code points. If the input sequence is a label in ACE form, then the result is an equivalent internationalized label that is not in ACE form, otherwise the original sequence is returned unaltered.

ToUnicode never fails. If any step fails, then the original input sequence is returned immediately in that step.

The Punycode decoder can never output more code points than it inputs, but Nameprep can, and therefore ToUnicode can. Note that the number of octets needed to represent a sequence of code points depends on the particular character encoding used.

The inputs to ToUnicode are a sequence of code points, the AllowUnassigned flag, and the UseSTD3ASCIIRules flag. The output of ToUnicode is always a sequence of Unicode code points.

Return value: Returns **Idna_rc** error condition, but it must only be used for debugging purposes. The

output buffer is always guaranteed to contain the correct data according to the specification (sans malloc induced errors). NB! This means that you normally ignore the return code from this function, as checking it means breaking the standard.

REPORTING BUGS

Report bugs to <help-libidn@gnu.org>.

General guidelines for reporting bugs: <https://www.gnu.org/gethelp/>

GNU Libidn home page: <https://www.gnu.org/software/libidn/>

COPYRIGHT

Copyright (C) 2002-2024 Simon Josefsson.

Copying and distribution of this file, with or without modification, are permitted in any medium without royalty provided the copyright notice and this notice are preserved.

SEE ALSO

The full documentation for **libidn** is maintained as a Texinfo manual. If the **info** and **libidn** programs are properly installed at your site, the command

info libidn

should give you access to the complete manual. As an alternative you may obtain the manual from:

<https://www.gnu.org/software/libidn/manual/>