#### **NAME**

isodebug - print mkisofs debug info from ISO-9660 image

### **SYNOPSIS**

```
isodebug [ options ] [ file ]
```

### DESCRIPTION

**isodebug** reads the debug info written by **mkisofs**(8) from within a ISO-9660 file system image and prints them.

### **OPTIONS**

#### -help

Prints a short summary of the **isodebug** options and exists.

### -version

Prints the **isodebug** version number string and exists.

# -i filename

Filename to read ISO-9660 image from.

## -ignore-error

Ignore errors. **isodebug** by default aborts on several errors, such as read errors. With this option in effect, **isodebug** tries to continue. Use with care.

### **dev**=target

SCSI target to use as CD/DVD-Recorder. See **cdrecord**(1) for more information on now to use this option.

## **SEE ALSO**

```
cdrecord(1), scg(4), mkisofs(8).
```

### **BUGS**

None currently known.

Mail bugs and suggestions to **schilytools@mlists.in-berlin.de** or open a ticket at **https://codeberg.org/schilytools/schilytools/issues**.

The mailing list archive may be found at

https://mlists.in-berlin.de/mailman/listinfo/schilytools-mlists.in-berlin.de.

## **AUTHORS**

Joerg Schilling and the schilytools project authors.

### SOURCE DOWNLOAD

The source code for the **cdrtools** is included in the **schilytools** project and may be retrieved from the **schilytools** project at Codeberg at:

https://codeberg.org/schilytools/schilytools/

The download directory is:

https://codeberg.org/schilytools/schilytools/releases

## INTERFACE STABILITY

The interfaces provided by **isodebug** are designed for long term stability. As **isodebug** depends on interfaces provided by the underlying operating system, the stability of the interfaces offered by **isodebug** depends on the interface stability of the OS interfaces. Modified interfaces in the OS may enforce modified interfaces in **isodebug**.