

NAME

isodebug - print mkisofs debug info from ISO-9660 image

SYNOPSIS

isodebug [*options*] [*file*]

DESCRIPTION

isodebug reads the debug info written by **mkisofs**(8) from within a ISO-9660 file system image and prints them.

OPTIONS**-help**

Prints a short summary of the **isodebug** options and exists.

-version

Prints the **isodebug** version number string and exists.

-i filename

Filename to read ISO-9660 image from.

-ignore-error

Ignore errors. **isodebug** by default aborts on several errors, such as read errors. With this option in effect, **isodebug** tries to continue. Use with care.

dev=target

SCSI target to use as CD/DVD-Recorder. See **cdrecord**(1) for more information on how to use this option.

SEE ALSO

cdrecord(1), **scg**(4), **mkisofs**(8).

BUGS

None currently known.

Mail bugs and suggestions to **schilytools@mlists.in-berlin.de** or open a ticket at **<https://codeberg.org/schilytools/schilytools/issues>**.

The mailing list archive may be found at

<https://mlists.in-berlin.de/mailman/listinfo/schilytools-mlists.in-berlin.de>.

AUTHORS

Joerg Schilling and the schilytools project authors.

SOURCE DOWNLOAD

The source code for the **cdrtools** is included in the **schilytools** project and may be retrieved from the **schilytools** project at Codeberg at:

<https://codeberg.org/schilytools/schilytools/>

The download directory is:

<https://codeberg.org/schilytools/schilytools/releases>

INTERFACE STABILITY

The interfaces provided by **isodebug** are designed for long term stability. As **isodebug** depends on interfaces provided by the underlying operating system, the stability of the interfaces offered by **isodebug** depends on the interface stability of the OS interfaces. Modified interfaces in the OS may enforce modified interfaces in **isodebug**.