

NAME

ldns_b32_ntop_calculate_size, ldns_b32_pton_calculate_size, ldns_b64_ntop_calculate_size, ldns_b64_pton_calculate_size - return size needed for b32 or b64 encoded or decoded data

SYNOPSIS

```
#include <stdint.h>
```

```
#include <stdbool.h>
```

```
#include <ldns/ldns.h>
```

```
ldns_b32_ntop_calculate_size();
```

```
ldns_b32_pton_calculate_size();
```

```
ldns_b64_ntop_calculate_size();
```

```
ldns_b64_pton_calculate_size();
```

DESCRIPTION

ldns_b32_ntop_calculate_size()

ldns_b32_pton_calculate_size()

ldns_b64_ntop_calculate_size()

ldns_b64_pton_calculate_size()

AUTHOR

The ldns team at NLnet Labs.

REPORTING BUGS

Please report bugs to ldns-team@nlnetlabs.nl or in our bugzilla at <http://www.nlnetlabs.nl/bugs/index.html>

COPYRIGHT

Copyright (c) 2004 - 2006 NLnet Labs.

Licensed under the BSD License. There is NO warranty; not even for MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

SEE ALSO

perldoc Net::DNS, RFC1034, RFC1035, RFC4033, RFC4034 and RFC4035.

REMARKS

This manpage was automatically generated from the ldns source code.