

**NAME**

ldns\_b32\_ntop\_calculate\_size, ldns\_b32\_pton\_calculate\_size, ldns\_b64\_ntop\_calculate\_size, ldns\_b64\_pton\_calculate\_size - return size needed for b32 or b64 encoded or decoded data

**SYNOPSIS**

```
#include <stdint.h>
```

```
#include <stdbool.h>
```

```
#include <ldns/ldns.h>
```

```
ldns_b32_ntop_calculate_size();
```

```
ldns_b32_pton_calculate_size();
```

```
ldns_b64_ntop_calculate_size();
```

```
ldns_b64_pton_calculate_size();
```

**DESCRIPTION**

*ldns\_b32\_ntop\_calculate\_size()*

*ldns\_b32\_pton\_calculate\_size()*

*ldns\_b64\_ntop\_calculate\_size()*

*ldns\_b64\_pton\_calculate\_size()*

**AUTHOR**

The ldns team at NLnet Labs.

**REPORTING BUGS**

Please report bugs to [dns-team@nlnetlabs.nl](mailto:dns-team@nlnetlabs.nl) or on GitHub at <https://github.com/NLnetLabs/ldns/issues>

**COPYRIGHT**

Copyright (c) 2004 - 2006 NLnet Labs.

Licensed under the BSD License. There is NO warranty; not even for MERCHANTABILITY or

FITNESS FOR A PARTICULAR PURPOSE.

**SEE ALSO**

**perldoc Net::DNS, RFC1034, RFC1035, RFC4033, RFC4034 and RFC4035.**

**REMARKS**

This manpage was automatically generated from the ldns source code.