

NAME

ldns_create_nsec - Create a NSEC record

SYNOPSIS

```
#include <stdint.h>
```

```
#include <stdbool.h>
```

```
#include <ldns/ldns.h>
```

```
ldns_rr * ldns_create_nsec(ldns_rdf *cur_owner, ldns_rdf *next_owner, ldns_rr_list *rrs);
```

DESCRIPTION

ldns_create_nsec() Create a NSEC record

cur_owner: the current owner which should be taken as the starting point

next_owner: the rrlist which the nsec rr should point to

rrs: all rrs from the zone, to find all RR types of cur_owner in

Returns a ldns_rr with the nsec record in it

AUTHOR

The ldns team at NLnet Labs.

REPORTING BUGS

Please report bugs to ldns-team@nlnetlabs.nl or in our bugzilla at

<http://www.nlnetlabs.nl/bugs/index.html>

COPYRIGHT

Copyright (c) 2004 - 2006 NLnet Labs.

Licensed under the BSD License. There is NO warranty; not even for MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

SEE ALSO

ldns_sign_public. And **perldoc Net::DNS, RFC1034, RFC1035, RFC4033, RFC4034** and **RFC4035**.

REMARKS

This manpage was automatically generated from the ldns source code.