

NAME

ldns_dname_cat_clone, ldns_dname_cat - concatenate two dnames

SYNOPSIS

```
#include <stdint.h>
```

```
#include <stdbool.h>
```

```
#include <ldns/ldns.h>
```

```
ldns_rdf* ldns_dname_cat_clone(const ldns_rdf *rd1, const ldns_rdf *rd2);
```

```
ldns_status ldns_dname_cat(ldns_rdf *rd1, const ldns_rdf *rd2);
```

DESCRIPTION

ldns_dname_cat_clone() concatenates two dnames together

rd1: the leftside

rd2: the rightside

Returns a new rdf with leftside/rightside

ldns_dname_cat() concatenates rd2 after rd1 (rd2 is copied, rd1 is modified)

rd1: the leftside

rd2: the rightside

Returns LDNS_STATUS_OK on success

AUTHOR

The ldns team at NLnet Labs.

REPORTING BUGS

Please report bugs to dns-team@nlnetlabs.nl or on GitHub at <https://github.com/NLnetLabs/ldns/issues>

COPYRIGHT

Copyright (c) 2004 - 2006 NLnet Labs.

Licensed under the BSD License. There is NO warranty; not even for MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

SEE ALSO

perldoc Net::DNS, RFC1034, RFC1035, RFC4033, RFC4034 and RFC4035.

REMARKS

This manpage was automatically generated from the ldns source code.