

**NAME**

ldns\_dname\_left\_chop, ldns\_dname\_label\_count - dname label functions

**SYNOPSIS**

```
#include <stdint.h>
```

```
#include <stdbool.h>
```

```
#include <ldns/ldns.h>
```

```
ldns_rdf* ldns_dname_left_chop(const ldns_rdf *d);
```

```
uint8_t ldns_dname_label_count(const ldns_rdf *r);
```

**DESCRIPTION**

*ldns\_dname\_left\_chop()* chop one label off the left side of a dname. so `www.nlnetlabs.nl`, becomes `nlnetlabs.nl` This new name is a clone and must be freed with `ldns_deep_free()`

**d**: the dname to chop

Returns the remaining dname

*ldns\_dname\_label\_count()* count the number of labels inside a LDNS\_RDF\_DNAME type rdf.

**\*r**: the rdf

Returns the number of labels

**AUTHOR**

The ldns team at NLnet Labs.

**REPORTING BUGS**

Please report bugs to `ldns-team@nlnetlabs.nl` or in our bugzilla at <http://www.nlnetlabs.nl/bugs/index.html>

**COPYRIGHT**

Copyright (c) 2004 - 2006 NLnet Labs.

Licensed under the BSD License. There is NO warranty; not even for MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

**SEE ALSO**

**perldoc Net::DNS, RFC1034, RFC1035, RFC4033, RFC4034 and RFC4035.**

## **REMARKS**

This manpage was automatically generated from the ldns source code.