

NAME

ldns_key_buf2dsa, ldns_key_buf2rsa - convert buffer to openssl key

SYNOPSIS

```
#include <stdint.h>
```

```
#include <stdbool.h>
```

```
#include <ldns/ldns.h>
```

```
DSA* ldns_key_buf2dsa(const ldns_buffer *key);
```

```
RSA* ldns_key_buf2rsa(const ldns_buffer *key);
```

DESCRIPTION

ldns_key_buf2dsa() converts a buffer holding key material to a DSA key in openssl.

key: the key to convert

Returns a DSA * structure with the key material

ldns_key_buf2rsa() converts a buffer holding key material to a RSA key in openssl.

key: the key to convert

Returns a RSA * structure with the key material

AUTHOR

The ldns team at NLnet Labs.

REPORTING BUGS

Please report bugs to ldns-team@nlnetlabs.nl or in our bugzilla at <http://www.nlnetlabs.nl/bugs/index.html>

COPYRIGHT

Copyright (c) 2004 - 2006 NLnet Labs.

Licensed under the BSD License. There is NO warranty; not even for MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

SEE ALSO

ldns_key_rr2ds. And **perldoc Net::DNS, RFC1034, RFC1035, RFC4033, RFC4034** and **RFC4035**.

REMARKS

This manpage was automatically generated from the ldns source code.