NAME

ldns_pkt_tsig_verify, ldns_pkt_tsig_sign - tsig signing and verification

SYNOPSIS

#include <stdint.h> #include <stdbool.h>

#include <ldns/ldns.h>

bool ldns_pkt_tsig_verify(ldns_pkt *pkt, const uint8_t *wire, size_t wire_size, const char *key_name, const char *key_data, const ldns_rdf *mac);

ldns_status ldns_pkt_tsig_sign(ldns_pkt *pkt, const char *key_name, const char *key_data, uint16_t fudge, const char *algorithm_name, const ldns_rdf *query_mac);

DESCRIPTION

ldns_pkt_tsig_verify() verifies the tsig rr for the given packet and key. The wire must be given too because tsig does not sign normalized packets.

pkt: the packet to verify

wire: needed to verify the mac

wire_size: size of wire

key_name: the name of the shared key **key_data**: the key in base 64 format

mac: original mac

Returns true if tsig is correct, false if not, or if tsig is not set

ldns_pkt_tsig_sign() creates a tsig rr for the given packet and key.

pkt: the packet to sign

key_name: the name of the shared key **key_data**: the key in base 64 format

fudge: seconds of error permitted in time signed **algorithm_name**: the name of the algorithm used

query_mac: is added to the digest if not NULL (so NULL is for signing queries, not NULL is for

signing answers)

Returns status (OK if success)

AUTHOR

The ldns team at NLnet Labs.

REPORTING BUGS

Please report bugs to dns-team@nlnetlabs.nl or on GitHub at https://github.com/NLnetLabs/ldns/issues

COPYRIGHT

Copyright (c) 2004 - 2006 NLnet Labs.

Licensed under the BSD License. There is NO warranty; not even for MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

SEE ALSO

ldns_key. And peridoc Net::DNS, RFC1034, RFC1035, RFC4033, RFC4034 and RFC4035.

REMARKS

This manpage was automatically generated from the ldns source code.