

NAME

ldns_pkt_verify - verify a packet

SYNOPSIS

```
#include <stdint.h>
```

```
#include <stdbool.h>
```

```
#include <ldns/ldns.h>
```

```
ldns_status ldns_pkt_verify(const ldns_pkt *p, ldns_rr_type t, const ldns_rdf *o, const ldns_rr_list *k,  
const ldns_rr_list *s, ldns_rr_list *good_keys);
```

DESCRIPTION

ldns_pkt_verify() verify a packet

p: the packet

t: the rr set type to check

o: the rr set name to check

k: list of keys

s: list of sigs (may be null)

good_keys: keys which validated the packet

Returns status

AUTHOR

The ldns team at NLnet Labs.

REPORTING BUGS

Please report bugs to ldns-team@nlnetlabs.nl or in our bugzilla at <http://www.nlnetlabs.nl/bugs/index.html>

COPYRIGHT

Copyright (c) 2004 - 2006 NLnet Labs.

Licensed under the BSD License. There is NO warranty; not even for MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

SEE ALSO

ldns_verify, *ldns_sign_public*, *ldns_zone_sign*. And **perldoc Net::DNS**, **RFC1034**, **RFC1035**, **RFC4033**, **RFC4034** and **RFC4035**.

REMARKS

This manpage was automatically generated from the ldns source code.