

**NAME**

ldns\_rdf\_set\_size, ldns\_rdf\_set\_type, ldns\_rdf\_set\_data - set rdf attributes

**SYNOPSIS**

```
#include <stdint.h>
```

```
#include <stdbool.h>
```

```
#include <ldns/ldns.h>
```

```
void ldns_rdf_set_size(ldns_rdf *rd, size_t size);
```

```
void ldns_rdf_set_type(ldns_rdf *rd, ldns_rdf_type type);
```

```
void ldns_rdf_set_data(ldns_rdf *rd, void *data);
```

**DESCRIPTION**

*ldns\_rdf\_set\_size()* sets the size of the rdf.

**\*rd**: the rdf to operate on

**size**: the new size

Returns void

*ldns\_rdf\_set\_type()* sets the size of the rdf.

**\*rd**: the rdf to operate on

**type**: the new type

Returns void

*ldns\_rdf\_set\_data()* sets the size of the rdf.

**\*rd**: the rdf to operate on

**\*data**: pointer to the new data

Returns void

**AUTHOR**

The ldns team at NLnet Labs.

**REPORTING BUGS**

Please report bugs to [ldns-team@nlnetlabs.nl](mailto:ldns-team@nlnetlabs.nl) or in our bugzilla at <http://www.nlnetlabs.nl/bugs/index.html>

**COPYRIGHT**

Copyright (c) 2004 - 2006 NLnet Labs.

Licensed under the BSD License. There is NO warranty; not even for MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

**SEE ALSO**

*ldns\_rdf*. And **perldoc Net::DNS, RFC1034, RFC1035, RFC4033, RFC4034** and **RFC4035**.

**REMARKS**

This manpage was automatically generated from the ldns source code.