

NAME

ldns_rr_compare, ldns_rr_compare_ds - compare a ldns_rr

SYNOPSIS

```
#include <stdint.h>
```

```
#include <stdbool.h>
```

```
#include <ldns/ldns.h>
```

```
int ldns_rr_compare(const ldns_rr *rr1, const ldns_rr *rr2);
```

```
bool ldns_rr_compare_ds(const ldns_rr *rr1, const ldns_rr *rr2);
```

DESCRIPTION

ldns_rr_compare() compares two rrs. The TTL is not looked at.

rr1: the first one

rr2: the second one

Returns 0 if equal -1 if rr1 comes before rr2 +1 if rr2 comes before rr1

ldns_rr_compare_ds() returns true if the given rr's are equal. Also returns true if one record is a DS that represents the same DNSKEY record as the other record

rr1: the first rr

rr2: the second rr

Returns true if equal otherwise false

AUTHOR

The ldns team at NLnet Labs.

REPORTING BUGS

Please report bugs to dns-team@nlnetlabs.nl or on GitHub at <https://github.com/NLnetLabs/ldns/issues>

COPYRIGHT

Copyright (c) 2004 - 2006 NLnet Labs.

Licensed under the BSD License. There is NO warranty; not even for MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

SEE ALSO

ldns_rr, *ldns_rr_list*. And **perldoc Net::DNS, RFC1034, RFC1035, RFC4033, RFC4034** and **RFC4035**.

REMARKS

This manpage was automatically generated from the ldns source code.