

**NAME**

ldns\_rr\_list\_rr\_count, ldns\_rr\_list\_set\_rr\_count - get and set ldns\_rr\_list length

**SYNOPSIS**

```
#include <stdint.h>
```

```
#include <stdbool.h>
```

```
#include <ldns/ldns.h>
```

```
size_t ldns_rr_list_rr_count(const ldns_rr_list *rr_list);
```

```
void ldns_rr_list_set_rr_count(ldns_rr_list *rr_list, size_t count);
```

**DESCRIPTION**

*ldns\_rr\_list\_rr\_count()* returns the number of rr's in an rr\_list.

**rr\_list**: the rr\_list to read from

Returns the number of rr's

*ldns\_rr\_list\_set\_rr\_count()* sets the number of rr's in an rr\_list.

**rr\_list**: the rr\_list to set the count on

**count**: the number of rr in this list

Returns void

**AUTHOR**

The ldns team at NLnet Labs.

**REPORTING BUGS**

Please report bugs to [ldns-team@nlnetlabs.nl](mailto:ldns-team@nlnetlabs.nl) or in our bugzilla at <http://www.nlnetlabs.nl/bugs/index.html>

**COPYRIGHT**

Copyright (c) 2004 - 2006 NLnet Labs.

Licensed under the BSD License. There is NO warranty; not even for MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

**SEE ALSO**

*ldns\_rr*, *ldns\_rr\_list*. And **perldoc Net::DNS, RFC1034, RFC1035, RFC4033, RFC4034** and **RFC4035**.

**REMARKS**

This manpage was automatically generated from the ldns source code.