

**NAME**

ldns\_rr\_push\_rdf, ldns\_rr\_pop\_rdf - push and pop rdata fields

**SYNOPSIS**

```
#include <stdint.h>
```

```
#include <stdbool.h>
```

```
#include <ldns/ldns.h>
```

```
bool ldns_rr_push_rdf(ldns_rr *rr, const ldns_rdf *f);
```

```
ldns_rdf* ldns_rr_pop_rdf(ldns_rr *rr);
```

**DESCRIPTION**

*ldns\_rr\_push\_rdf()* sets rd\_field member, it will be placed in the next available spot.

**\*rr**: rr to operate on

**\*f**: the data field member to set

Returns bool

*ldns\_rr\_pop\_rdf()* removes a rd\_field member, it will be popped from the last position.

**\*rr**: rr to operate on

Returns rdf which was popped (null if nothing)

**AUTHOR**

The ldns team at NLnet Labs.

**REPORTING BUGS**

Please report bugs to [ldns-team@nlnetlabs.nl](mailto:ldns-team@nlnetlabs.nl) or in our bugzilla at <http://www.nlnetlabs.nl/bugs/index.html>

**COPYRIGHT**

Copyright (c) 2004 - 2006 NLnet Labs.

Licensed under the BSD License. There is NO warranty; not even for MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

**SEE ALSO**

*ldns\_rr*, *ldns\_rr\_list*. And **perldoc Net::DNS, RFC1034, RFC1035, RFC4033, RFC4034** and **RFC4035**.

**REMARKS**

This manpage was automatically generated from the ldns source code.