

NAME

ldns_update_zocount, ldns_update_prcount, ldns_update_upcount, ldns_update_adcount - return update packet counters

SYNOPSIS

```
#include <stdint.h>
```

```
#include <stdbool.h>
```

```
#include <ldns/ldns.h>
```

```
uint16_t ldns_update_zocount(const ldns_pkt *p);
```

```
uint16_t ldns_update_prcount(const ldns_pkt *p);
```

```
uint16_t ldns_update_upcount(const ldns_pkt *p);
```

```
ldns_update_adcount();
```

DESCRIPTION

ldns_update_zocount() Get the zo count

p: the packet

Returns the zo count

ldns_update_prcount() Get the zo count

p: the packet

Returns the pr count

ldns_update_upcount() Get the zo count

p: the packet

Returns the up count

ldns_update_adcount()

AUTHOR

The ldns team at NLnet Labs.

REPORTING BUGS

Please report bugs to ldns-team@nlnetlabs.nl or in our bugzilla at

<http://www.nlnetlabs.nl/bugs/index.html>

COPYRIGHT

Copyright (c) 2004 - 2006 NLnet Labs.

Licensed under the BSD License. There is NO warranty; not even for MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

SEE ALSO

ldns_update_pkt_new. And **perldoc Net::DNS, RFC1034, RFC1035, RFC4033, RFC4034** and **RFC4035**.

REMARKS

This manpage was automatically generated from the ldns source code.