

NAME

ldns_zone_rrs, ldns_zone_soa - ldns_zone get content

SYNOPSIS

```
#include <stdint.h>
```

```
#include <stdbool.h>
```

```
#include <ldns/ldns.h>
```

```
ldns_rr_list * ldns_zone_rrs(const ldns_zone *z);
```

```
ldns_rr * ldns_zone_soa(const ldns_zone *z);
```

DESCRIPTION

ldns_zone_rrs() Get a list of a zone's content. Note that the SOA isn't included in this list. You need to get the with *ldns_zone_soa*.

z: the zone to read from

Returns the rrs from this zone

ldns_zone_soa() Return the soa record of a zone

z: the zone to read from

Returns the soa record in the zone

AUTHOR

The ldns team at NLnet Labs.

REPORTING BUGS

Please report bugs to dns-team@nlnetlabs.nl or on GitHub at <https://github.com/NLnetLabs/ldns/issues>

COPYRIGHT

Copyright (c) 2004 - 2006 NLnet Labs.

Licensed under the BSD License. There is NO warranty; not even for MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

SEE ALSO

ldns_zone *ldns_zone_set_rrs*. And **perldoc Net::DNS, RFC1034, RFC1035, RFC4033, RFC4034** and **RFC4035**.

REMARKS

This manpage was automatically generated from the ldns source code.