

NAME

libcurl - client-side URL transfers

DESCRIPTION

This is a short overview on how to use libcurl in your C programs. There are specific man pages for each function mentioned in here. See *libcurl-easy(3)*, *libcurl-multi(3)*, *libcurl-share(3)*, *libcurl-url(3)*, *libcurl-ws(3)* and *libcurl-tutorial(3)* for in-depth understanding on how to program with libcurl.

There are many bindings available that bring libcurl access to your favorite language. Look elsewhere for documentation on those.

TRANSFERS

To transfer files, you create an "easy handle" using *curl_easy_init(3)* for a single individual transfer (in either direction). You then set your desired set of options in that handle with *curl_easy_setopt(3)*. Options you set with *curl_easy_setopt(3)* stick. They are then used for every repeated use of this handle until you either change the option, or you reset them all with *curl_easy_reset(3)*.

To actually transfer data you have the option of using the "easy" interface, or the "multi" interface.

The easy interface is a synchronous interface with which you call *curl_easy_perform(3)* and let it perform the transfer. When it is completed, the function returns and you can continue. More details are found in the *libcurl-easy(3)* man page.

The multi interface on the other hand is an asynchronous interface, that you call and that performs only a little piece of the transfer on each invoke. It is perfect if you want to do things while the transfer is in progress, or similar. The multi interface allows you to select() on libcurl action, and even to easily download multiple files simultaneously using a single thread. See further details in the *libcurl-multi(3)* man page.

SUPPORT INTERFACES

There is also a series of other helpful functions and interface families to use, including these:

curl_version_info()

gets detailed libcurl (and other used libraries) version info. See *curl_version_info(3)*

curl_getdate()

converts a date string to *time_t*. See *curl_getdate(3)*

curl_easy_getinfo()

get information about a performed transfer. See *curl_easy_getinfo(3)*

curl_mime_addpart()

helps building an HTTP form POST. See *curl_mime_addpart(3)*

curl_slist_append()

builds a linked list. See *curl_slist_append(3)*

Sharing data between transfers

You can have multiple easy handles share certain data, even if they are used in different threads. This magic is setup using the share interface, as described in the *libcurl-share(3)* man page.

URL Parsing

URL parsing and manipulations. See *libcurl-url(3)*

WebSocket communication

See *libcurl-ws(3)*

LINKING WITH LIBCURL

On unix-like machines, there is a tool named *curl-config* that gets installed with the rest of the curl stuff when 'make install' is performed.

curl-config is added to make it easier for applications to link with libcurl and developers to learn about libcurl and how to use it.

Run '*curl-config --libs*' to get the (additional) linker options you need to link with the particular version of libcurl you have installed. See the *curl-config(1)* man page for further details.

Unix-like operating system that ship libcurl as part of their distributions often do not provide the *curl-config* tool, but simply install the library and headers in the common path for this purpose.

Many Linux and similar systems use *pkg-config* to provide build and link options about libraries and libcurl supports that as well.

LIBCURL SYMBOL NAMES

All public functions in the libcurl interface are prefixed with '*curl_*' (with a lowercase c). You can find other functions in the library source code, but other prefixes indicate that the functions are private and may change without further notice in the next release.

Only use documented functions and functionality!

PORTABILITY

libcurl works **exactly** the same, on any of the platforms it compiles and builds on.

THREADS

libcurl is thread safe but there are a few exceptions. Refer to *libcurl-thread(3)* for more information.

PERSISTENT CONNECTIONS

Persistent connections means that libcurl can reuse the same connection for several transfers, if the conditions are right.

libcurl always attempts to use persistent connections. Whenever you use *curl_easy_perform(3)* or *curl_multi_perform(3)* etc, libcurl attempts to use an existing connection to do the transfer, and if none exists it opens a new one that is subject for reuse on a possible following call to *curl_easy_perform(3)* or *curl_multi_perform(3)*.

To allow libcurl to take full advantage of persistent connections, you should do as many of your file transfers as possible using the same handle.

If you use the easy interface, and you call *curl_easy_cleanup(3)*, all the possibly open connections held by libcurl are closed and forgotten.

When you have created a multi handle and are using the multi interface, the connection pool is instead kept in the multi handle so closing and creating new easy handles to do transfers do not affect them. Instead all added easy handles can take advantage of the single shared pool.

GLOBAL CONSTANTS

There are a variety of constants that libcurl uses, mainly through its internal use of other libraries, which are too complicated for the library loader to set up. Therefore, a program must call a library function after the program is loaded and running to finish setting up the library code. For example, when libcurl is built for SSL capability via the GNU TLS library, there is an elaborate tree inside that library that describes the SSL protocol.

curl_global_init(3) is the function that you must call. This may allocate resources (e.g. the memory for the GNU TLS tree mentioned above), so the companion function *curl_global_cleanup(3)* releases them.

If libcurl was compiled with support for multiple SSL backends, the function *curl_global_sslset(3)* can be called before *curl_global_init(3)* to select the active SSL backend.

The global constant functions are thread-safe since libcurl 7.84.0 if *curl_version_info(3)* has the `CURL_VERSION_THREADSAFE` feature bit set (most platforms). Read *libcurl-thread(3)* for thread safety guidelines.

If the global constant functions are *not thread safe*, then you must not call them when any other thread in the program is running. It is not good enough that no other thread is using libcurl at the time, because these functions internally call similar functions of other libraries, and those functions are similarly thread-unsafe. You cannot generally know what these libraries are, or whether other threads are using them.

If the global constant functions are *not thread safe*, then the basic rule for constructing a program that uses libcurl is this: Call *curl_global_init(3)*, with a `CURL_GLOBAL_ALL` argument, immediately after the program starts, while it is still only one thread and before it uses libcurl at all. Call *curl_global_cleanup(3)* immediately before the program exits, when the program is again only one thread and after its last use of libcurl.

It is not actually required that the functions be called at the beginning and end of the program -- that is just usually the easiest way to do it.

You can call both of these multiple times, as long as all calls meet these requirements and the number of calls to each is the same.

The global constant situation merits special consideration when the code you are writing to use libcurl is not the main program, but rather a modular piece of a program, e.g. another library. As a module, your code does not know about other parts of the program -- it does not know whether they use libcurl or not. And its code does not necessarily run at the start and end of the whole program.

A module like this must have global constant functions of its own, just like *curl_global_init(3)* and *curl_global_cleanup(3)*. The module thus has control at the beginning and end of the program and has a place to call the libcurl functions. If multiple modules in the program use libcurl, they all separately call the libcurl functions, and that is OK because only the first *curl_global_init(3)* and the last *curl_global_cleanup(3)* in a program change anything. (libcurl uses a reference count in static memory).

In a C++ module, it is common to deal with the global constant situation by defining a special class that represents the global constant environment of the module. A program always has exactly one object of the class, in static storage. That way, the program automatically calls the constructor of the object as the program starts up and the destructor as it terminates. As the author of this libcurl-using module, you can make the constructor call *curl_global_init(3)* and the destructor call *curl_global_cleanup(3)* and satisfy libcurl's requirements without your user having to think about it. (Caveat: If you are initializing

libcurl from a Windows DLL you should not initialize it from *DllMain* or a static initializer because Windows holds the loader lock during that time and it could cause a deadlock.)

curl_global_init(3) has an argument that tells what particular parts of the global constant environment to set up. In order to successfully use any value except *CURL_GLOBAL_ALL* (which says to set up the whole thing), you must have specific knowledge of internal workings of libcurl and all other parts of the program of which it is part.

A special part of the global constant environment is the identity of the memory allocator. *curl_global_init(3)* selects the system default memory allocator, but you can use *curl_global_init_mem(3)* to supply one of your own. However, there is no way to use *curl_global_init_mem(3)* in a modular program -- all modules in the program that might use libcurl would have to agree on one allocator.

There is a failsafe in libcurl that makes it usable in simple situations without you having to worry about the global constant environment at all: *curl_easy_init(3)* sets up the environment itself if it has not been done yet. The resources it acquires to do so get released by the operating system automatically when the program exits.

This failsafe feature exists mainly for backward compatibility because there was a time when the global functions did not exist. Because it is sufficient only in the simplest of programs, it is not recommended for any program to rely on it.