

NAME

libssh2_sftp_rmdir_ex - remove an SFTP directory

SYNOPSIS

```
#include <libssh2.h>
```

```
#include <libssh2_sftp.h>
```

```
int
```

```
libssh2_sftp_rmdir_ex(LIBSSH2_SFTP *sftp, const char *path,  
                     unsigned int path_len);
```

DESCRIPTION

Remove a directory from the remote file system.

sftp - SFTP instance as returned by **libssh2_sftp_init(3)**

sourcefile - Full path of the existing directory to remove.

sourcefile_len - Length of the full path of the existing directory to remove.

RETURN VALUE

Return 0 on success or negative on failure. It returns LIBSSH2_ERROR_EAGAIN when it would otherwise block. While LIBSSH2_ERROR_EAGAIN is a negative number, it is not really a failure per se.

ERRORS

LIBSSH2_ERROR_ALLOC - An internal memory allocation call failed.

LIBSSH2_ERROR_SOCKET_SEND - Unable to send data on socket.

LIBSSH2_ERROR_SOCKET_TIMEOUT -

LIBSSH2_ERROR_SFTP_PROTOCOL - An invalid SFTP protocol response was received on the socket, or an SFTP operation caused an errorcode to be returned by the server.

SEE ALSO

libssh2_sftp_init(3)