

**NAME**

lpmove - move a job or all jobs to a new destination

**SYNOPSIS**

**lpmove** [ **-h** *server[:port]* ] [ **-E** ] [ **-U** *username* ] *job destination*

**lpmove** [ **-h** *server[:port]* ] [ **-E** ] [ **-U** *username* ] *source destination*

**DESCRIPTION**

**lpmove** moves the specified *job* or all jobs from *source* to *destination*. *job* can be the job ID number or the old destination and job ID.

**OPTIONS**

The **lpmove** command supports the following options:

**-E** Forces encryption when connecting to the server.

**-U** *username*  
Specifies an alternate username.

**-h** *server[:port]*  
Specifies an alternate server. Note: This option must occur before all others.

**EXAMPLES**

Move job 123 from "oldprinter" to "newprinter":

```
lpmove 123 newprinter
```

*or*

```
lpmove oldprinter-123 newprinter
```

Move all jobs from "oldprinter" to "newprinter":

```
lpmove oldprinter newprinter
```

**SEE ALSO**

**cancel(1)**, **lp(1)**, **lpr(1)**, **lprm(1)**,  
CUPS Online Help (<http://localhost:631/help>)

**COPYRIGHT**

Copyright (C) 2021-2023 by OpenPrinting.