

NAME

magick - convert between image formats as well as resize an image, blur, crop, despeckle, dither, draw on, flip, join, re-sample, and much more.

SYNOPSIS

magick [*input-options*] *input-file* [*output-options*] *output-file*

OVERVIEW

The **magick** program is a member of the ImageMagick(1) suite of tools. Use it to convert between image formats as well as resize an image, blur, crop, despeckle, dither, draw on, flip, join, re-sample, and much more.

For more information about the magick command, point your browser to
<file:///usr/local/share/doc/ImageMagick-7/www/magick.html> or
<https://imagemagick.org/script/magick.php>.

DESCRIPTION

Image Settings:

- adjoin join images into a single multi-image file
- affine matrix affine transform matrix
- antialias remove pixel-aliasing
- authenticate value decrypt image with this password
- background color background color
- bias value add bias when convolving an image
- black-point-compensation
 - use black point compensation
- blue-primary point chromaticity blue primary point
- bordercolor color border color
- caption string assign a caption to an image
- cdl filename color correct with a color decision list
- colors value preferred number of colors in the image
- colorspace type alternate image colorspace
- comment string annotate image with comment
- compose operator set image composite operator
- compress type type of pixel compression when writing the image
- decipher filename magick cipher pixels to plain pixels
- define format:option
 - define one or more image format options
- delay centiseconds display the next image after pausing
- density geometry horizontal and vertical density of the image

-depth value image depth
-direction type render text right-to-left or left-to-right
-display server get image or font from this X server
-dispose method layer disposal method
-dither method apply error diffusion to image
-encipher filename magick plain pixels to cipher pixels
-encoding type text encoding type
-endian type endianness (MSB or LSB) of the image
-family name render text with this font family
-fill color color to use when filling a graphic primitive
-filter type use this filter when resizing an image
-flatten flatten a sequence of images
-font name render text with this font
-format "string" output formatted image characteristics
-fuzz distance colors within this distance are considered equal
-gravity type horizontal and vertical text placement
-green-primary point chromaticity green primary point
-intent type type of rendering intent when managing the image color
-interlace type type of image interlacing scheme
-interpolate method pixel color interpolation method
-kerning value set the space between two letters
-label string assign a label to an image
-limit type value pixel cache resource limit
-loop iterations add Netscape loop extension to your GIF animation
-mask filename associate a mask with the image
-matte store matte channel if the image has one
-mattecolor color frame color
-monitor monitor progress
-orient type image orientation
-origin geometry image origin
-page geometry size and location of an image canvas (setting)
-ping efficiently determine image attributes
-pointsize value font point size
-preview type image preview type
-quality value JPEG/MIFF/PNG compression level
-quiet suppress all warning messages
-red-primary point chromaticity red primary point
-regard-warnings pay attention to warning messages
-repage geometry size and location of an image canvas
-sampling-factor geometry

horizontal and vertical sampling factor
-scene value image scene number
-seed value seed a new sequence of pseudo-random numbers
-size geometry width and height of image
-statistic type geometry
 replace each pixel with corresponding statistic from the neighborhood
-stretch type render text with this font stretch
-stroke color graphic primitive stroke color
-strokewidth value graphic primitive stroke width
-style type render text with this font style
-support factor resize support: > 1.0 is blurry, < 1.0 is sharp
-synchronize synchronize image to storage device
-taint declare the image as modified
-texture filename name of texture to tile onto the image background
-tile-offset geometry
 tile offset
-treedepth value color tree depth
-transparent-color color
 transparent color
-undercolor color annotation bounding box color
-units type the units of image resolution
-verbose print detailed information about the image
-view FlashPix viewing transforms
-virtual-pixel method
 virtual pixel access method
-weight type render text with this font weight
-white-point point chromaticity white point

Image Operators:

- adaptive-blur geometry
 adaptively blur pixels; decrease effect near edges
- adaptive-resize geometry
 adaptively resize image with data dependent triangulation
- adaptive-sharpen geometry
 adaptively sharpen pixels; increase effect near edges
- annotate geometry text
 annotate the image with text
- auto-orient automatically orient image
- bilateral-blur geometry
 non-linear, edge-preserving, and noise-reducing smoothing filter

-black-threshold value
force all pixels below the threshold into black

-blur geometry reduce image noise and reduce detail levels

-border geometry surround image with a border of color

-channel mask set the image channel mask

-charcoal radius simulate a charcoal drawing

-chop geometry remove pixels from the image interior

-clip clip along the first path from the 8BIM profile

-clip-mask filename associate a clip mask with the image

-clip-path id clip along a named path from the 8BIM profile

-colorize value colorize the image with the fill color

-color-matrix matrix apply color correction to the image

-contrast enhance or reduce the image contrast

-contrast-stretch geometry
improve contrast by ‘stretching’ the intensity range

-convolve coefficients
apply a convolution kernel to the image

-cycle amount cycle the image colormap

-despeckle reduce the speckles within an image

-draw string annotate the image with a graphic primitive

-edge radius apply a filter to detect edges in the image

-emboss radius emboss an image

-enhance apply a digital filter to enhance a noisy image

-equalize perform histogram equalization to an image

-evaluate operator value
evaluate an arithmetic, relational, or logical expression

-extent geometry set the image size

-extract geometry extract area from image

-fft implements the discrete Fourier transform (DFT)

-flip flip image vertically

-floodfill geometry color
floodfill the image with color

-flop flop image horizontally

-frame geometry surround image with an ornamental border

-function name apply a function to the image

-gamma value level of gamma correction

-gaussian-blur geometry
reduce image noise and reduce detail levels

-geometry geometry preferred size or location of the image

-identify identify the format and characteristics of the image

-ift implements the inverse discrete Fourier transform (DFT)
-implode amount implode image pixels about the center
-integral calculate the sum of values (pixel values) in the image
-lat geometry local adaptive thresholding
-layers method optimize or compare image layers
-level value adjust the level of image contrast
-linear-stretch geometry
 improve contrast by ‘stretching with saturation’ the intensity range
-median geometry apply a median filter to the image
-mode geometry make each pixel the ‘predominant color’ of the neighborhood
-modulate value vary the brightness, saturation, and hue
-monochrome transform image to black and white
-morphology method kernel
 apply a morphology method to the image
-motion-blur geometry
 simulate motion blur
-negate replace each pixel with its complementary color
-noise geometry add or reduce noise in an image
-normalize transform image to span the full range of colors
-opaque color change this color to the fill color
-ordered-dither NxN
 add a noise pattern to the image with specific amplitudes
-paint radius simulate an oil painting
-polaroid angle simulate a Polaroid picture
-posterize levels reduce the image to a limited number of color levels
-print string interpret string and print to console
-profile filename add, delete, or apply an image profile
-quantize colorspace reduce colors in this colorspace
-radial-blur angle radial blur the image
-raise value lighten/darken image edges to create a 3-D effect
-random-threshold low,high
 random threshold the image
-range-threshold values
 perform either hard or soft thresholding within some range of values in an image
-region geometry apply options to a portion of the image
-render render vector graphics
-resample geometry change the resolution of an image
-resize geometry resize the image
-roll geometry roll an image vertically or horizontally
-rotate degrees apply Paeth rotation to the image

-sample geometry scale image with pixel sampling
-scale geometry scale the image
-segment values segment an image
-selective-blur geometry selectively blur pixels within a contrast threshold
-sepia-tone threshold simulate a sepia-toned photo
-set property value set an image property
-shade degrees shade the image using a distant light source
-shadow geometry simulate an image shadow
-sharpen geometry sharpen the image
-shave geometry shave pixels from the image edges
-shear geometry slide one edge of the image along the X or Y axis
-sigmoidal-contrast geometry lightness rescaling using sigmoidal contrast enhancement
-sketch geometry simulate a pencil sketch
-solarize threshold negate all pixels above the threshold level
-sort-pixels sort each scanline in ascending order of intensity
-splice geometry splice the background color into the image
-spread amount displace image pixels by a random amount
-strip strip image of all profiles and comments
-swirl degrees swirl image pixels about the center
-threshold value threshold the image
-thumbnail geometry create a thumbnail of the image
-tile filename tile image when filling a graphic primitive
-tint value tint the image with the fill color
-transform affine transform image
-transparent color make this color transparent within the image
-transpose flip image vertically and rotate 90 degrees
-transverse flop image horizontally and rotate 270 degrees
-trim trim image edges
-type type image type
-unique-colors discard all but one of any pixel color
-unsharp geometry sharpen the image
-vignette geometry soften the edges of the image in vignette style
-wave geometry alter an image along a sine wave
-white-threshold value force all pixels above the threshold into white

Image Channel Operators:

- channel-extract channel-list
extract the channels in order
- channel-inject channel-list
inject the channels in order
- channel-swap channel,channel
swap the channels

Image Sequence Operators:

- affinity filename transform image colors to match this set of colors
- append append an image sequence top to bottom (use +append for left to right)
- clut apply a color lookup table to the image
- coalesce merge a sequence of images
- combine combine a sequence of images
- composite composite image
- crop geometry cut out a rectangular region of the image
- deconstruct break down an image sequence into constituent parts
- evaluate-sequence operator
evaluate an arithmetic, relational, or logical expression
- flatten flatten a sequence of images
- fx expression apply mathematical expression to an image channel(s)
- hald-clut apply a Hald color lookup table to the image
- morph value morph an image sequence
- mosaic create a mosaic from an image sequence
- process arguments process the image with a custom image filter
- separate separate an image channel into a grayscale image
- smush geometry smush an image sequence together
- write filename write images to this file

Image Stack Operators:

- clone indexes clone an image
- delete indexes delete the image from the image sequence
- duplicate count,indexes
duplicate an image one or more times
- insert index insert last image into the image sequence
- swap indexes swap two images in the image sequence

Miscellaneous Options:

- debug events display copious debugging information
- help print program options

- log format format of debugging information
- list type print a list of supported option arguments
- version print version information

Use any setting or operator as an *output-option*. Only a limited number of setting are *input-option*. They include: -antialias, -caption, -density, -define, -encoding, -font, -pointsize, -size, and -texture as well as any of the miscellaneous options.

By default, the image format of ‘file’ is determined by its magic number. To specify a particular image format, precede the filename with an image format name and a colon (i.e. ps:image) or specify the image type as the filename suffix (i.e. image.ps). Specify ‘file’ as ‘-’ for standard input or output.

SEE ALSO

ImageMagick(1)

COPYRIGHT

**Copyright (C) 1999 ImageMagick Studio LLC. Additional copyrights and licenses apply to this software, see file:///usr/local/share/doc/ImageMagick-7/www/license.html or
<https://imagemagick.org/script/license.php>**