

NAME

neon-config - script providing information about installed copy of neon library

SYNOPSIS

neon-config [--prefix] [--cflags] | [--libs] | [--la-file] | [--support *feature*] | [--help] | [--version]

DESCRIPTION

The **neon-config** script provides information about an installed copy of the neon library. The **--cflags** and **--libs** options instruct how to compile and link an application against the library; the **--version** and **--support** options can help determine whether the library meets the applications requirements.

OPTIONS**--cflags**

Print the flags which should be passed to the C compiler when compiling object files, when the object files use neon header files.

--libs

Print the flags which should be passed to the linker when linking an application which uses the neon library

--la-file

Print the location of the libtool library script, libneon.la, which can be used to link against neon by applications using libtool.

--version

Print the version of the library

--prefix *dir*

If *dir* is given; relocate output of **--cflags** and **--libs** as if neon was installed in given prefix directory. Otherwise, print the installation prefix of the library.

--support *feature*

The script exits with success if *feature* is supported by the library.

--help

Print help message; includes list of known features and whether they are supported or not.

EXAMPLE

Below is a Makefile fragment which could be used to build an application against an installed neon library, when the **neon-config** script can be found in **\$PATH**.

```
CFLAGS = 'neon-config --cflags'
```

```
LIBS = 'neon-config --libs'
```

```
OBJECTS = myapp.o
```

```
TARGET = myapp
```

```
$(TARGET): $(OBJECTS)
```

```
$(CC) $(LDFLAGS) -o $(TARGET) $(OBJECTS) $(LIBS)
```

```
myapp.o: myapp.c
```

```
$(CC) $(CFLAGS) -c myapp.c -o myapp.o
```

AUTHOR

Joe Orton

Author.

COPYRIGHT