

**NAME**

**ng\_gif\_demux** - demultiplexer for packets from ng\_gif(4) nodes

**SYNOPSIS**

```
#include <netgraph/ng_gif_demux.h>
```

**DESCRIPTION**

The **ng\_gif\_demux** netgraph node type demultiplexes the output from ng\_gif(4) nodes in the netgraph(4) networking subsystem.

The gif hook is meant to be connected to the lower or orphans hook of an ng\_gif(4) node. The inet, inet6, atalk, ipx, atm, natm, and ns hooks output frames of the given type when they are received on the gif hook. When a frame is received on one of these hooks, it is encapsulated and sent out the gif hook.

**HOOKS**

This node type supports the following hooks:

*gif* Connection to the lower or orphans hook of an ng\_gif(4) node.

*inet* Hook for input and output of IP frames.

*inet6* Hook for input and output of IPv6 frames.

*atalk* Hook for input and output of AppleTalk frames.

*ipx* Hook for input and output of IPX frames.

*atm* Hook for input and output of ATM frames.

*natm* Hook for input and output of NATM frames.

*ns* Hook for input and output of NS frames.

**CONTROL MESSAGES**

This node type supports only the generic control messages.

**SEE ALSO**

gif(4), netgraph(4), netintro(4), ng\_gif(4), ifconfig(8), ngctl(8), nghook(8)

**AUTHORS**

Brooks Davis <*brooks@FreeBSD.org*>