

NAME

openpam_ttyconv - simple tty-based conversation function

SYNOPSIS

```
#include <sys/types.h>
#include <security/pam_appl.h>
#include <security/openpam.h>
```

int

```
openpam_ttyconv(int n, const struct pam_message **msg, struct pam_response **resp, void *data);
```

DESCRIPTION

The **openpam_ttyconv**() function is a standard conversation function suitable for use on TTY devices. It should be adequate for the needs of most text-based interactive programs.

The **openpam_ttyconv**() function allows the application to specify a timeout for user input by setting the global integer variable *openpam_ttyconv_timeout* to the length of the timeout in seconds.

RETURN VALUES

The **openpam_ttyconv**() function returns one of the following values:

[PAM_SUCCESS]	Success.
[PAM_BUF_ERR]	Memory buffer error.
[PAM_CONV_ERR]	Conversation failure.
[PAM_SYSTEM_ERR]	System error.

SEE ALSO

openpam_nullconv(3), pam(3), pam_prompt(3), pam_strerror(3), pam_vprompt(3)

STANDARDS

The **openpam_ttyconv**() function is an OpenPAM extension.

AUTHORS

The **openpam_ttyconv**() function and this manual page were developed for the FreeBSD Project by ThinkSec AS and Network Associates Laboratories, the Security Research Division of Network Associates, Inc. under DARPA/SPAWAR contract N66001-01-C-8035 ("CBOSS"), as part of the

DARPA CHATS research program.

The OpenPAM library is maintained by Dag-Erling Smørgrav <*des@des.no*>.