

NAME

pam_vinfo - display an information message

SYNOPSIS

```
#include <sys/types.h>
```

```
#include <security/pam_appl.h>
```

int

```
pam_vinfo(const pam_handle_t *pamh, const char *fmt, va_list ap);
```

DESCRIPTION

The **pam_vinfo**() function passes its arguments to **pam_vprompt**(3) with a style argument of **PAM_TEXT_INFO**, and discards the response.

RETURN VALUES

The **pam_vinfo**() function returns one of the following values:

[PAM_SUCCESS] Success.

[PAM_BUF_ERR] Memory buffer error.

[PAM_CONV_ERR] Conversation failure.

[PAM_SYSTEM_ERR] System error.

SEE ALSO

pam(3), **pam_info**(3), **pam_strerror**(3), **pam_terror**(3), **pam_vprompt**(3)

STANDARDS

The **pam_vinfo**() function is an OpenPAM extension.

AUTHORS

The **pam_vinfo**() function and this manual page were developed for the FreeBSD Project by ThinkSec AS and Network Associates Laboratories, the Security Research Division of Network Associates, Inc. under DARPA/SPAWAR contract N66001-01-C-8035 ("CBOSS"), as part of the DARPA CHATS research program.

The OpenPAM library is maintained by Dag-Erling Smørgrav <des@des.no>.