

NAME

perljp - XXX Perl XXX

XX

Perl XXXXXXXXXX!

Perl 5.8.0 XXXUnicodeXX CJK
(XXXXXXXXXXXXXXXX)XXXXXXXXXXXXUnicodeXX

Perl XXX Unicode XXXXXXXXPerl XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX Unicode
XX
Encode XXXXXXXXXXXXXXXUnicode XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

XXXX Encode XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

7bit-jis	AdobeStandardEncoding	AdobeSymbol	AdobeZdingbat
ascii	big5	big5-hkscs	cp1006
cp1026	cp1047	cp1250	cp1251
cp1252	cp1253	cp1254	cp1255
cp1256	cp1257	cp1258	cp37
cp424	cp437	cp500	cp737
cp775	cp850	cp852	cp855
cp856	cp857	cp860	cp861
cp862	cp863	cp864	cp865
cp866	cp869	cp874	cp875
cp932	cp936	cp949	cp950
dingbats	euc-cn	euc-jp	euc-kr
gb12345-raw	gb2312-raw	gsm0338	hp-roman8
hz	iso-2022-jp	iso-2022-jp-1	iso-8859-1
iso-8859-10	iso-8859-11	iso-8859-13	iso-8859-14
iso-8859-15	iso-8859-16	iso-8859-2	iso-8859-3
iso-8859-4	iso-8859-5	iso-8859-6	iso-8859-7
iso-8859-8	iso-8859-9	iso-ir-165	jis0201-raw
jis0208-raw	jis0212-raw	johab	koi8-f
koi8-r	koi8-u	ksc5601-raw	MacArabic
MacCentralEurRoman	MacChineseSimp	MacChineseTrad	MacCroatian
MacCyrillic	MacDingbats	MacFarsi	MacGreek
MacHebrew	MacIcelandic	MacJapanese	MacKorean
MacRoman	MacRomanian	MacRumanian	MacSami
MacSymbol	MacThai	MacTurkish	MacUkrainian

nextstep	posix-bc	shiftjis	symbol
UCS-2BE	UCS-2LE	UTF-16	UTF-16BE
UTF-16LE	UTF-32	UTF-32BE	UTF-32LE
utf8	viscii		

(X114XX)

XXXXXXXXXXFOOXXXXXXXXUTF-8XXXXXXXXXXXXXXXXXXXX

```
perl -Mencoding=FOO,STDOUT,utf8 -pe1 < file.FOO > file.utf8
```

XXXPerlXXXXXXXXPerlXXXXXXXXXXXXXXXXXXXXXXXXXpiconvXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

```
piconv -f FOO -t utf8 < file.FOO > file.utf8
piconv -f utf8 -t FOO < file.utf8 > file.FOO
```

(jcode.pl|Jcode.pm|JPerl) XXXXX

5.8XXXXXXXXXXEUC-JPXXJcode.pmX(
<http://openlab.ring.gr.jp/Jcode/>
)Xperl4XXXXXXXXXXXXXjcode.plXXXXXXXXXXXXXXXXXXXXCGIXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

5.005XXXPerlXXXXXXXXXXXXXXXXXXXXXXXXXJperlXXXXXXXXX(
<http://homepage2.nifty.com/kipp/perl/jperl/index.html>> X1)XXXXMac OS
 9.x/ClassicXXPerlXMacPerlXXXXXXXXMacJPerlXXXXXXXXXXXX(<https://habilis.net/macjperl/>
).XXXXXXXXXXXXXXXXXEUC-JPXXXXShift_JISXX

Perl5.8XXXXXXXXXXXXXXXXPerlXXXXXXXXXXXXXXXXXXXXXXXXXXXX114XXXXXXXXXXXXXXXXXXXXXXXXXXXX

X1: XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX Vector(
<https://www.vector.co.jp/soft/win95/util/se098198.html>>)XXWindowXXXXXXXXCPAN(
<https://www.cpan.org/src/unsupported/4.036/jperl/>>)XXperl4XXXXXXXXXXXXXXXXXXXX

⊕ XXX

XXXXXXXXXXXXShift_JISXXXXEUC-JPXXXXXXXXXXXX

```
# jcode.pl
require "jcode.pl";
while(<>){
    jcode::convert(*_, 'euc', 'sjis');
```

```

    print;
  }
# Jcode.pm
use Jcode;
while(<>){
    print Jcode->new($_, 'sjis')->euc;
  }
# Perl 5.8
use Encode;
while(<>){
    from_to($_, 'shiftjis', 'euc-jp');
    print;
  }
# Perl 5.8 - encoding XXXXX
use encoding 'euc-jp', STDIN => 'shiftjis';
while(<>){
    print;
  }

```

⊕ Jperl XXXXXXXX

XXXX"shebang"XXXXXXXXXJperlXXscriptXXXXXXXXXXXXXXXXXXXXXXXXXXXX

```

#!/path/to/jperl
X
#!/path/to/perl -Mencoding=euc-jp

```

XXXX perldoc encoding XXXXXXXXXXXX

XXXXXX

PerlXXXXXXXXXXXXXXXXXXPerlXXXXXUnicodeXXXXXXXXXXEncodeXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

```

perldoc perlunicode # PerlXUnicodeXXXXXX
perldoc Encode # EncodeXXXXXXXXXX
perldoc Encode::JP # XXXXXXXXXXXXXXXXXXXX

```

PerlXXXXXX URL

```

<https://www.perl.org/>
Perl XXXXXXX

```

<<https://www.perl.com/>>

Perl XXXXXXXXXXXXX

<<https://www.cpan.org/>>

CPAN (Comprehensive Perl Archive Network)

<<https://metacpan.org/>>

MetaCPAN CPANXXXXXXXX

<<https://lists.perl.org/>>

Perl XXXXXXXXXXX

<<https://perldoc.jp/>>

perldoc.jp Perl XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

PerlXXXXXXXX URL

<<http://www.oreilly.com.cn/>>

O'Reilly XXPerlXXXX(XXXXXX)

<<https://www.oreilly.co.jp/catalog/>>

XXXXXXXXPerlXXXX(XXX)

Perl XXXXXX

<<https://www.pm.org/groups/asia.html>>

XXXXXX Perl Mongers (PerlXXXXXXXXXX) XX

<<https://japan.perlassociation.org>>

XXXXXXJapan Perl Association (JPA) PerlXXXXXXXXXXXXXXXXXXXX

UnicodeXXXURL

<<https://www.unicode.org/>>

Unicode XXXXXXXX (UnicodeXXXXXXXX)

<<https://www.cl.cam.ac.uk/%7Emgk25/unicode.html>>

UTF-8 and Unicode FAQ for Unix/Linux

<<https://wiki.kldp.org/Translations/html/UTF8-Unicode-KLDP/UTF8-Unicode-KLDP.html>>

UTF-8 and Unicode FAQ for Unix/Linux (XXXXX)

AUTHORS

- ⊕ Jarkko Hietaniemi <jhi@iki.fi>
- ⊕ Dan Kogai (XXXX) <dankogai@dan.co.jp>
- ⊕ Shogo Ichinose (XXXXXX) <shogo82148@gmail.com>