

NAME

pmc_configure_logfile, **pmc_flush_logfile**, **pmc_writelog**, **pmc_close_logfile** - log file management

LIBRARY

Performance Counters Library (libpmc, -lpmc)

SYNOPSIS

```
#include <pmc.h>
```

int

```
pmc_configure_logfile(int fd);
```

int

```
pmc_flush_logfile(void);
```

int

```
pmc_writelog(uint32_t userdata);
```

int

```
pmc_close_logfile(void);
```

DESCRIPTION

The functions manage logging of hwpmc(4) events.

Function **pmc_configure_logfile()** is used to turn on and turn off logging. If argument *fd* is a valid file handle returned by a prior call to open(2) or socket(2) then performance events will be logged to the file corresponding to the specified handle. If the value of argument *fd* is -1 then logging will be stopped after any pending data is flushed.

Function **pmc_flush_logfile()** will force all log data queued inside the hwpmc(4) driver to be written out.

Function **pmc_writelog()** will append a log entry containing the value of argument *userdata* to the log file.

Function **pmc_close_logfile()** will flush all pending log data and close hwpmc(4)'s side of the stream.

RETURN VALUES

Upon successful completion, the value 0 is returned; otherwise the value -1 is returned and the global variable *errno* is set to indicate the error.

ERRORS

A call to **pmc_configure_logfile()** may fail with the following errors:

- | | |
|----------|---|
| [EAGAIN] | The hwpmc(4) driver was not able to create a helper process due to system limits being reached. |
| [EBUSY] | Function pmc_configure_logfile() was called with a log file already configured. |
| [EINVAL] | Function pmc_configure_logfile() was called with an argument of -1 without a log file being previously configured. |
| [ENOMEM] | The system encountered a memory shortage when servicing this request. |

A call to **pmc_flush_logfile()** may fail with the following errors:

- | | |
|----------|--|
| [EINVAL] | Function pmc_flush_logfile() was called without a log file being previously configured. |
|----------|--|

A call to **pmc_writelog()** may fail with the following errors:

- | | |
|----------|---|
| [EINVAL] | Function pmc_writelog() was called without a log file being previously configured. |
| [ENOMEM] | The system encountered a memory shortage when servicing this request. |

SEE ALSO

pmc(3), hwpmc(4)