

**NAME**

rdma\_get\_recv\_comp - retrieves a completed receive request.

**SYNOPSIS**

```
#include <rdma/rdma_verbs.h>
```

```
int rdma_get_recv_comp (struct rdma_cm_id *id, struct ibv_wc *wc);
```

**ARGUMENTS**

id                    A reference to a communication identifier to check for completions.

wc                    A reference to a work completion structure to fill in.

**DESCRIPTION**

Retrieves a completed work request for a receive operation. Information about the completed request is returned through the wc parameter, with the wr\_id set to the context of the request. For details on the work completion structure, see ibv\_poll\_cq.

**RETURN VALUE**

Returns the number of returned completions (0 or 1) on success, or -1 on error. If an error occurs, errno will be set to indicate the failure reason.

**NOTES**

This calls polls the receive completion queue associated with an rdma\_cm\_id. If a completion is not found, the call blocks until a request completes. This call should only be used on rdma\_cm\_id's that do not share CQs with other rdma\_cm\_id's, and maintain separate CQs for sends and receive completions.

**SEE ALSO**

rdma\_cm(7), ibv\_poll\_cq(3), rdma\_get\_send\_comp(3), rdma\_post\_send(3), rdma\_post\_read(3), rdma\_post\_write(3)