

NAME

sasl_getprop - Cyrus SASL documentation

SYNOPSIS

```
#include <sasl/sasl.h>
```

```
int sasl_getprop(sasl_conn_t *conn,
                int propnum,
                const void ** pvalue);
```

DESCRIPTION

```
int sasl_getprop(sasl_conn_t *conn,
```

```
int propnum,
```

```
const void ** pvalue);
```

sasl_getprop gets the value of a SASL property. For example after successful authentication a server may wish to know the authorization name. Or a client application may wish to know the strength of the negotiated security layer.

Parameters

⊕ **conn** - is the SASL connection context

⊕ **propnum** - is the identifier for the property requested

⊕ **pvalue** -

is filled on success. List of properties:

⊕ **SASL_USERNAME** - pointer to NUL terminated user name

⊕

SASL_SSF - security layer security strength factor,

if 0, call to sasl_encode(3), sasl_decode(3) unnecessary

⊕ **SASL_MAXOUTBUF** - security layer max output buf unsigned

- ⊕ SASL_DEFUSERREALM - server authentication realm used
- ⊕ SASL_GETOPTCTX - context for getopt callback
- ⊕ SASL_IPLOCALPORT - local address string
- ⊕ SASL_IPREMOTEPORT - remote address string
- ⊕ SASL_SERVICE - service passed to *sasl*_new*
- ⊕ SASL_SERVERFQDN - serverFQDN passed to *sasl*_new*
- ⊕

SASL_AUTHSOURCE - name of auth source last used, useful for failed authentication tracking

- ⊕ SASL_MECHNAME - active mechanism name, if any
- ⊕ SASL_PLUGERR - similar to *sasl_errdetail*

RETURN VALUE

SASL callback functions should return SASL return codes. See *sasl.h* for a complete list. **SASL_OK** indicates success.

Other return codes indicate errors and should be handled.

SEE ALSO

RFC 4422, *saslman:sasl(3)*, *sasl_errors(3)*, *sasl_server_new(3)*, *sasl_client_new(3)*

AUTHOR

The Cyrus Team

COPYRIGHT

1993-2016, The Cyrus Team