

NAME

scroll, **srl**, **wsrl** - scroll a **curses** window

SYNOPSIS

```
#include <curses.h>
```

```
int scroll(WINDOW *win);
```

```
int srl(int n);
```

```
int wsrl(WINDOW *win, int n);
```

DESCRIPTION

The **scroll** routine scrolls the window up one line. This involves moving the lines in the window data structure. As an optimization, if the scrolling region of the window is the entire screen, the *physical screen* may be scrolled at the same time.

For positive *n*, the **srl** and **wsrl** routines scroll the window up *n* lines (line *i+n* becomes *i*); otherwise scroll the window down *n* lines. This involves moving the lines in the window character image structure. The current cursor position is not changed.

For these functions to work, scrolling must be enabled via **scrollok**.

RETURN VALUE

These routines return **ERR** upon failure, and **OK** (SVr4 only specifies "an integer value other than **ERR**") upon successful completion.

X/Open defines no error conditions.

This implementation returns an error if the window pointer is null, or if scrolling is not enabled in the window, e.g., with **scrollok**.

NOTES

Note that **srl** and **scroll** may be macros.

The SVr4 documentation says that the optimization of physically scrolling immediately if the scroll region is the entire screen "is" performed, not "may be" performed. This implementation deliberately does not guarantee that this will occur, to leave open the possibility of smarter optimization of multiple scroll actions on the next update.

Neither the SVr4 nor the XSI documentation specify whether the current attribute or current color-pair

`curs_scroll(3X)`

`curs_scroll(3X)`

of blanks generated by the scroll function is zeroed. Under this implementation it is.

PORTABILITY

The XSI Curses standard, Issue 4 describes these functions.

SEE ALSO

`curses(3X)`, `curs_outopts(3X)`

`curs_scroll(3X)`