

NAME

sem_open, **sem_close**, **sem_unlink** - named semaphore operations

LIBRARY

Standard C Library (libc, -lc)

SYNOPSIS

```
#include <semaphore.h>
```

```
sem_t *
```

```
sem_open(const char *name, int oflag, ...);
```

```
int
```

```
sem_close(sem_t *sem);
```

```
int
```

```
sem_unlink(const char *name);
```

DESCRIPTION

The **sem_open()** function creates or opens the named semaphore specified by *name*. The returned semaphore may be used in subsequent calls to **sem_getvalue(3)**, **sem_wait(3)**, **sem_trywait(3)**, **sem_post(3)**, and **sem_close()**.

This implementation places strict requirements on the value of *name*: it must begin with a slash ('/') and contain no other slash characters.

The following bits may be set in the *oflag* argument:

O_CREAT Create the semaphore if it does not already exist.

The third argument to the call to **sem_open()** must be of type *mode_t* and specifies the mode for the semaphore. Only the **S_IWUSR**, **S_IWGRP**, and **S_IWOTH** bits are examined; it is not possible to grant only "read" permission on a semaphore. The mode is modified according to the process's file creation mask; see **umask(2)**.

The fourth argument must be an *unsigned int* and specifies the initial value for the semaphore, and must be no greater than **SEM_VALUE_MAX**.

O_EXCL Create the semaphore if it does not exist. If the semaphore already exists, **sem_open()** will fail. This flag is ignored unless **O_CREAT** is also specified.

The **sem_close()** function closes a named semaphore that was opened by a call to **sem_open()**.

The **sem_unlink()** function removes the semaphore named *name*. Resources allocated to the semaphore are only deallocated when all processes that have the semaphore open close it.

RETURN VALUES

If successful, the **sem_open()** function returns the address of the opened semaphore. If the same *name* argument is given to multiple calls to **sem_open()** by the same process without an intervening call to **sem_close()**, the same address is returned each time. If the semaphore cannot be opened, **sem_open()** returns SEM_FAILED and the global variable *errno* is set to indicate the error.

The **sem_close()** and **sem_unlink()** functions return the value 0 if successful; otherwise the value -1 is returned and the global variable *errno* is set to indicate the error.

ERRORS

The **sem_open()** function will fail if:

- | | |
|----------------|--|
| [EACCES] | The semaphore exists and the permissions specified by <i>oflag</i> at the time it was created deny access to this process. |
| [EACCES] | The semaphore does not exist, but permission to create it is denied. |
| [EEXIST] | O_CREAT and O_EXCL are set but the semaphore already exists. |
| [EINTR] | The call was interrupted by a signal. |
| [EINVAL] | The sem_open() operation is not supported for the given <i>name</i> . |
| [EINVAL] | The <i>value</i> argument is greater than SEM_VALUE_MAX. |
| [ENAMETOOLONG] | The <i>name</i> argument is too long. |
| [ENFILE] | The system limit on semaphores has been reached. |
| [ENOENT] | O_CREAT is not set but the named semaphore does not exist. |
| [ENOSPC] | There is not enough space to create the semaphore. |

The **sem_close()** function will fail if:

[EINVAL] The *sem* argument is not a valid semaphore.

The **sem_unlink()** function will fail if:

[EACCES] Permission is denied to unlink the semaphore.

[ENAMETOOLONG] The specified *name* is too long.

[ENOENT] The named semaphore does not exist.

SEE ALSO

close(2), open(2), umask(2), unlink(2), sem_getvalue(3), sem_post(3), sem_trywait(3), sem_wait(3)

STANDARDS

The **sem_open()**, **sem_close()**, and **sem_unlink()** functions conform to ISO/IEC 9945-1:1996 ("POSIX.1").

HISTORY

Support for named semaphores first appeared in FreeBSD 5.0.