

**NAME**

streamzip - create a zip file from stdin

**SYNOPSIS**

```
producer | streamzip [opts] | consumer
producer | streamzip [opts] -zipfile=output.zip
```

**DESCRIPTION**

This program will read data from "stdin", compress it into a zip container and, by default, write a *streamed* zip file to "stdout". No temporary files are created.

The zip container written to "stdout" is, by necessity, written in streaming format. Most programs that read Zip files can cope with a streamed zip file, but if interoperability is important, and your workflow allows you to write the zip file directly to disk you can create a non-streamed zip file using the "zipfile" option.

**OPTIONS**

-zip64

Create a Zip64-compliant zip container. Use this option if the input is greater than 4Gig.

Default is disabled.

-zipfile=F

Write zip container to the filename "F".

Use the "Stream" option to force the creation of a streamed zip file.

-member-name=M

This option is used to name the "file" in the zip container.

Default is '-'.

-stream

Ignored when writing to "stdout".

If the "zipfile" option is specified, including this option will trigger the creation of a streamed zip file.

Default: Always enabled when writing to "stdout", otherwise disabled.

`-method=M`

Compress using method "M".

Valid method names are

- \* store Store without compression
- \* deflate Use Deflate compression [Default]
- \* bzip2 Use Bzip2 compression
- \* lzma Use LZMA compression
- \* xz Use xz compression
- \* zstd Use Zstandard compression

Note that Lzma compress needs "IO::Compress::Lzma" to be installed.

Note that Zstd compress needs "IO::Compress::Zstd" to be installed.

Default is "deflate".

`-0, -1, -2, -3, -4, -5, -6, -7, -8, -9`

Sets the compression level for "deflate". Ignored for all other compression methods.

"-0" means no compression and "-9" for maximum compression.

Default is 6

`-version`

Display version number

`-help` Display help

## Examples

Create a zip file by reading data from stdin

```
$ echo Lorem ipsum dolor sit | perl ./bin/streamzip >abcd.zip
```

Check the contents of "abcd.zip" with the standard "unzip" utility

```
Archive: abcd.zip
 Length  Date  Time  Name
-----  -

```

```

    22 2021-01-08 19:45 -
-----
    22          1 file

```

Notice how the "Name" is set to "-". That is the default for a few zip utilities whwre the member name is not given.

If you want to explicitly name the file, use the "-member-name" option as follows

```
$ echo Lorem ipsum dolor sit | perl ./bin/streamzip -member-name latin >abcd.zip
```

```

$ unzip -l abcd.zip
Archive: abcd.zip
 Length  Date  Time  Name
-----  -
    22 2021-01-08 19:47 latin
-----
    22          1 file

```

### When to write a Streamed Zip File

A Streamed Zip File is useful in situations where you cannot seek backwards/forwards in the file.

A good examples is when you are serving dynamic content from a Web Server straight into a socket without needing to create a temporary zip file in the filesystem.

Similarly if your workflow uses a Linux pipelined commands.

### SUPPORT

General feedback/questions/bug reports should be sent to  
<https://github.com/pmqs/IO-Compress/issues> (preferred) or  
<https://rt.cpan.org/Public/Dist/Display.html?Name=IO-Compress>.

### AUTHOR

Paul Marquess *pmqs@cpan.org*.

### COPYRIGHT

Copyright (c) 2019-2021 Paul Marquess. All rights reserved.

This program is free software; you can redistribute it and/or modify it under the same terms as Perl itself.