

NAME

stringprep_profile - API function

SYNOPSIS

```
#include <stringprep.h>
```

```
int stringprep_profile(const char * in, char ** out, const char * profile, Stringprep_profile_flags flags);
```

ARGUMENTS

const char * in

input array with UTF-8 string to prepare.

char ** out output variable with pointer to newly allocate string.

const char * profile

name of stringprep profile to use.

Stringprep_profile_flags flags

a **Stringprep_profile_flags** value, or 0.

DESCRIPTION

Prepare the input zero terminated UTF-8 string according to the stringprep profile, and return the result in a newly allocated variable.

Note that you must convert strings entered in the systems locale into UTF-8 before using this function, see **stringprep_locale_to_utf8()**.

The output *out* variable must be deallocated by the caller.

The *flags* are one of **Stringprep_profile_flags** values, or 0.

The *profile* specifies the name of the stringprep profile to use. It must be one of the internally supported stringprep profiles.

Return value: Returns **STRINGPREP_OK** iff successful, or an error code.

REPORTING BUGS

Report bugs to <help-libidn@gnu.org>.

General guidelines for reporting bugs: <https://www.gnu.org/gethelp/>

GNU Libidn home page: <https://www.gnu.org/software/libidn/>

COPYRIGHT

Copyright (C) 2002-2024 Simon Josefsson.

Copying and distribution of this file, with or without modification, are permitted in any medium without royalty provided the copyright notice and this notice are preserved.

SEE ALSO

The full documentation for **libidn** is maintained as a Texinfo manual. If the **info** and **libidn** programs are properly installed at your site, the command

info libidn

should give you access to the complete manual. As an alternative you may obtain the manual from:

<https://www.gnu.org/software/libidn/manual/>