

**NAME****sysdecode\_sigcode** - lookup name of signal code**LIBRARY**

System Argument Decoding Library (libsysdecode, -lsysdecode)

**SYNOPSIS**

#include &lt;sysdecode.h&gt;

```
const char *
sysdecode_sigcode(int signal, int si_code);
```

**DESCRIPTION**

The **sysdecode\_sigcode()** function returns a text description of the *si\_code* field of the *siginfo\_t* object associated with an instance of signal *sig*. The text description contains the name of the C macro whose value matches *si\_code*. General purpose signal codes such as SI\_USER are handled as well as signal-specific codes for SIGBUS, SIGCHLD, SIGFPE, SIGILL, SIGSEGV and SIGTRAP. If *si\_code* does not represent a known signal code, **sysdecode\_sigcode()** returns NULL.

**RETURN VALUES**

The **sysdecode\_sigcode()** function returns a pointer to a signal code description or NULL if *si\_code* is not a known signal code.

**SEE ALSO**

**sysdecode\_sigbus\_code(3)**, **sysdecode\_sigchld\_code(3)**, **sysdecode\_sigfpe\_code(3)**,  
**sysdecode\_sigill\_code(3)**, **sysdecode\_sigsegv\_code(3)**, **sysdecode\_sigtrap\_code(3)**