

**NAME**

**thr\_suspend** - suspend the calling thread

**LIBRARY**

Standard C Library (libc, -lc)

**SYNOPSIS**

```
#include <sys/thr.h>
```

*int*

```
thr_suspend(struct timespec *timeout);
```

**DESCRIPTION**

This function is intended for implementing threading. Normal applications should use **pthread\_cond\_timedwait(3)** together with **pthread\_cond\_broadcast(3)** for typical safe suspension with cooperation of the thread being suspended, or **pthread\_suspend\_np(3)** and **pthread\_resume\_np(3)** in some specific situations, instead.

The **thr\_suspend()** system call puts the calling thread in a suspended state, where it is not eligible for CPU time. This state is exited by another thread calling **thr\_wake(2)**, when the time interval specified by *timeout* has elapsed, or by the delivery of a signal to the suspended thread.

If the *timeout* argument is NULL, the suspended state can be only terminated by explicit **thr\_wake()** or signal.

If a wake from **thr\_wake(2)** was delivered before the **thr\_suspend** call, the thread is not put into a suspended state. Instead, the call returns immediately without an error.

If a thread previously called **thr\_wake(2)** with its own thread identifier, which resulted in setting the internal kernel flag to immediately abort interruptible sleeps with an EINTR error (see **thr\_wake(2)**), the flag is cleared. As with **thr\_wake(2)** called from another thread, the next **thr\_suspend** call does not result in suspension.

**RETURN VALUES**

The **thr\_suspend()** function returns the value 0 if successful; otherwise the value -1 is returned and the global variable *errno* is set to indicate the error.

**ERRORS**

The **thr\_suspend()** operation returns the following errors:

- [EFAULT]           The memory pointed to by the *timeout* argument is not valid.
- [ETIMEDOUT]        The specified timeout expired.
- [ETIMEDOUT]        The *timeout* argument specified a zero time interval.
- [EINTR]            The sleep was interrupted by a signal.

**SEE ALSO**

ps(1), thr\_wake(2), pthread\_resume\_np(3), pthread\_suspend\_np(3)

**STANDARDS**

The **thr\_suspend()** system call is non-standard.

**HISTORY**

The **thr\_suspend()** system call first appeared in FreeBSD 5.2.