NAME

tifice - little cms ICC profile applier for TIFF.

SYNOPSIS

tifice [options] input.tif output.tif

DESCRIPTION

lcms is a standalone CMM engine, which deals with the color management. It implements a fast transformation between ICC profiles. **tifice** is a little cms ICC profile applier for TIFF.

OPTIONS

- -a Handle channels > 4 as alpha.
- **-b** Black point compensation.
- -c NUM

Precalculates transform (0=Off, 1=Normal, 2=Hi-res, 3=LoRes) [defaults to 1].

-d NUM

Observer adaptation state (abs.col. only), (0..1.0, float value) [defaults to 0.0].

- **-e** Embed destination profile.
- **-g** Marks out-of-gamut colors on softproof.
- -h NUM

Show summary of options and examples (0=help, 1=Examples, 2=Built-in profiles, 3=Contact information)

-i profile

Input profile (defaults to sRGB).

-k inklimit

Ink-limiting in % (CMYK only), (0..400.0, float value) [default 400.0].

-l profile

Transform by device-link profile.

-m TODO: check if values outside 0..3 are possible

SoftProof intent [defaults to 0].

- -n Ignore embedded profile on input.
- -o profile

Output profile (defaults to sRGB).

-p profile

Soft proof profile.

-s newprofile

Save embedded profile as newprofile.

-t NUM

Rendering intent

- 0=Perceptual [default]
- 1=Relative colorimetric
- 2=Saturation
- 3=Absolute colorimetric
- 10=Perceptual preserving black ink
- 11=Relative colorimetric preserving black ink
- 12=Saturation preserving black ink
- 13=Perceptual preserving black plane
- 14=Relative colorimetric preserving black plane
- 15=Saturation preserving black plane
- -v Verbose.
- **-w** *NUM*

Output depth (8, 16 or 32). Use 32 for floating-point.

BUILT-IN PROFILES

```
*Lab2 -- D50-based v2 CIEL*a*b
```

*Lab4 -- D50-based v4 CIEL*a*b

*Lab -- D50-based v4 CIEL*a*b

*XYZ -- CIE XYZ (PCS)

*sRGB -- sRGB color space

*Gray22 - Monochrome of Gamma 2.2

*Gray30 - Monochrome of Gamma 3.0

*null - Monochrome black for all input

*Lin2222- CMYK linearization of gamma 2.2 on each channel

EXAMPLES

To color correct from scanner to sRGB:

tifice -iscanner.icm in.tif out.tif

To convert from monitor1 to monitor2:

tifice -imon1.icm -omon2.icm in.tif out.tif

To make a CMYK separation:

tifice -oprinter.icm inrgb.tif outcmyk.tif

To recover sRGB from a CMYK separation:

tifice -iprinter.icm incmyk.tif outrgb.tif

To convert from CIELab TIFF to sRGB

tifice -i*Lab in.tif out.tif

NOTES

For suggestions, comments, bug reports etc. send mail to info@littlecms.com.

SEE ALSO

```
jpgicc(1), linkicc(1), psicc(1), transicc(1)
```

AUTHOR

This manual page was originally written by Shiju p. Nair <shiju.p@gmail.com>, for the Debian project. Modified by Marti Maria to reflect further changes.