

NAME

urio - USB driver for the Rio MP3 players

SYNOPSIS

To compile this driver into the kernel, place the following line in your kernel configuration file:

```
device urio
```

Alternatively, to load the driver as a module at boot time, place the following line in loader.conf(5):

```
urio_load="YES"
```

DESCRIPTION

The **urio** driver provides support for Rio MP3 players from Diamond MultiMedia which attaches to the USB port. The **urio** device must be configured in the kernel, along with *usb* and one of the *uhci* or *ohci* controllers.

Subsequently, the */dev/urio0* device can be used by the Rio userland applications.

HARDWARE

The following devices are supported by the **urio** driver:

- Diamond MultiMedia Rio 500
- Diamond MultiMedia Rio 600
- Diamond MultiMedia Rio 800

FILES

/dev/urio0 blocking device node

EXAMPLES

The following line in the kernel configuration file adds the **urio** driver to the kernel:

```
device urio
```

To download a song over the USB connection into the Rio using the *rio_add_song(1)* utility (see the *SEE ALSO* section):

```
rio_add_song /usr/local/MP3/TracyChapman/02-Fast-Car.mp3
```

SEE ALSO

ohci(4), *uhci(4)*, *usb(4)*

The Rio 500 SourceForge Project Web Page, <http://rio500.sourceforge.net/>.

The Rio500 tools from SourceForge are the actual userland tools used to download, format or rename songs on players. When compiling these tools, the following pre-build configuration command will ensure that *rio_usb.h* is available in the include path and that the device used is */dev/urio0*:

```
CFLAGS="-I/usr/include/dev/usb" ./configure \
--with-devicepath='/dev' --with-deviceentry='urio0'
```

AUTHORS

The **urio** driver was written by Iwasa Kazmi <kzmi@ca2.so-net.ne.jp> for FreeBSD.

This manual page was written by Dirk-Willem van Gulik <dirkx@webweaving.org>.