

NAME

vfs_shell_snap - Shell script callouts for snapshot creation and deletion

SYNOPSIS

vfs objects = shell_snap

DESCRIPTION

This VFS module is part of the **samba**(8) suite.

The vfs_shell_snap VFS provides shell-script callouts for snapshot creation and deletion operations issued by remote clients using the File Server Remote VSS Protocol (FSRVP).

The following shell callouts may be configured in smb.conf:

shell_snap:check path command

⊕

when an FSRVP client wishes to check whether a given share supports snapshot create/delete requests.

⊕

command is called with a single *share_path* argument.

⊕

command must return 0 if *share_path* is capable of being snapshotted.

shell_snap:create command

⊕

when an FSRVP client wishes to create a snapshot.

⊕

command is called with a single *share_path* argument.

⊕

command must return 0 status if the snapshot was successfully taken.

⊕

command must output the path of the newly created snapshot to stdout.

shell_snap:delete command

⊕

when an FSRVP client wishes to delete a snapshot.

⊕

command is called with *base_share_path* and *snapshot_share_path* arguments.

⊕

command must return 0 status if the snapshot was successfully removed.

All commands are executed as the authenticated FSRVP client user.

This module is stackable.

CONFIGURATION

[share]

vfs objects = shell_snap

shell_snap:check path command = snap_check_path.sh

shell_snap:create command = snap_create.sh

shell_snap:delete command = snap_delete.sh

Samba's FSRVP server must be configured in the *[global]* section:

[global]

registry shares = yes

include = registry

VERSION

This man page is part of version 4.16.11 of the Samba suite.

AUTHOR

The original Samba software and related utilities were created by Andrew Tridgell. Samba is now developed by the Samba Team as an Open Source project similar to the way the Linux kernel is developed.