

NAME

vm_map_lock, **vm_map_unlock**, **vm_map_lock_read**, **vm_map_unlock_read**, **vm_map_trylock**,
vm_map_trylock_read, **vm_map_lock_upgrade**, **vm_map_lock_downgrade** - vm_map locking macros

SYNOPSIS

```
#include <sys/param.h>
```

```
#include <vm/vm.h>
```

```
#include <vm/vm_map.h>
```

void

```
vm_map_lock(vm_map_t map);
```

void

```
vm_map_unlock(vm_map_t map);
```

void

```
vm_map_lock_read(vm_map_t map);
```

void

```
vm_map_unlock_read(vm_map_t map);
```

int

```
vm_map_trylock(vm_map_t map);
```

int

```
vm_map_trylock_read(vm_map_t map);
```

int

```
vm_map_lock_upgrade(vm_map_t map);
```

int

```
vm_map_lock_downgrade(vm_map_t map);
```

DESCRIPTION

The **vm_map_lock()** macro obtains an exclusive lock on *map*.

The **vm_map_unlock()** macro releases an exclusive lock on *map*.

The **vm_map_lock_read()** macro obtains a read-lock on *map*.

The **vm_map_unlock_read()** macro releases a read-lock on *map*.

The **vm_map_trylock()** macro attempts to obtain an exclusive lock on *map*. It returns FALSE if the lock cannot be immediately acquired; otherwise return TRUE with the lock acquired.

The **vm_map_trylock_read()** macro attempts to obtain a read-lock on *map*. It returns FALSE if the lock cannot be immediately acquired; otherwise return TRUE with the lock acquired.

The **vm_map_lock_upgrade()** macro attempts to atomically upgrade a read-lock on *map* to an exclusive lock.

The **vm_map_lock_downgrade()** macro attempts to downgrade an exclusive lock on *map* to a read-lock.

IMPLEMENTATION NOTES

Currently, all of the locking macros implement their locks as sleep locks.

SEE ALSO

vm_map(9)

AUTHORS

This manual page was written by Bruce M Simpson <bms@spc.org>.