

**NAME**

**wcstol**, **wcstoul**, **wcstoll**, **wcstoull**, **wcstoimax**, **wcstoumax** - convert a wide character string value to a *long*, *unsigned long*, *long long*, *unsigned long long*, *intmax\_t* or *uintmax\_t* integer

**LIBRARY**

Standard C Library (libc, -lc)

**SYNOPSIS**

**#include <wchar.h>**

*long*

**wcstol**(*const wchar\_t \* restrict nptr, wchar\_t \*\* restrict endptr, int base*);

*unsigned long*

**wcstoul**(*const wchar\_t \* restrict nptr, wchar\_t \*\* restrict endptr, int base*);

*long long*

**wcstoll**(*const wchar\_t \* restrict nptr, wchar\_t \*\* restrict endptr, int base*);

*unsigned long long*

**wcstoull**(*const wchar\_t \* restrict nptr, wchar\_t \*\* restrict endptr, int base*);

**#include <inttypes.h>**

*intmax\_t*

**wcstoimax**(*const wchar\_t \* restrict nptr, wchar\_t \*\* restrict endptr, int base*);

*uintmax\_t*

**wcstoumax**(*const wchar\_t \* restrict nptr, wchar\_t \*\* restrict endptr, int base*);

**DESCRIPTION**

The **wcstol**(), **wcstoul**(), **wcstoll**(), **wcstoull**(), **wcstoimax**() and **wcstoumax**() functions are wide-character versions of the **strtol**(), **strtoul**(), **strtol**(), **strtoull**(), **strtoimax**() and **strtoumax**() functions, respectively. Refer to their manual pages (for example **strtol**(3)) for details.

**SEE ALSO**

**strtol**(3), **strtoul**(3)

**STANDARDS**

The **wcstol**(), **wcstoul**(), **wcstoll**(), **wcstoull**(), **wcstoimax**() and **wcstoumax**() functions conform to

ISO/IEC 9899:1999 ("ISO C99").