

NAME

xcb_client_message_event_t - NOT YET DOCUMENTED

SYNOPSIS

```
#include <xcb/xproto.h>
```

Event datastructure

```
typedef struct xcb_client_message_event_t {
    uint8_t      response_type;
    uint8_t      format;
    uint16_t     sequence;
    xcb_window_t window;
    xcb_atom_t    type;
    xcb_client_message_data_t data;
} xcb_client_message_event_t;
```

EVENT FIELDS

response_type The type of this event, in this case *XCB_CLIENT_MESSAGE*. This field is also present in the *xcb_generic_event_t* and can be used to tell events apart from each other.

sequence The sequence number of the last request processed by the X11 server.

format Specifies how to interpret *data*. Can be either 8, 16 or 32.

window NOT YET DOCUMENTED.

type An atom which indicates how the data should be interpreted by the receiving client.

data The data itself (20 bytes max).

DESCRIPTION

This event represents a ClientMessage, sent by another X11 client. An example is a client sending the *_NET_WM_STATE* ClientMessage to the root window to indicate the fullscreen window state, effectively requesting that the window manager puts it into fullscreen mode.

SEE ALSO

xcb_generic_event_t(3), **xcb_send_event(3)**

AUTHOR

Generated from xproto.xml. Contact xcb@lists.freedesktop.org for corrections and improvements.