

**NAME**

xcb\_composite\_get\_overlay\_window -

**SYNOPSIS****#include <xcb/composite.h>****Request function**

```
xcb_composite_get_overlay_window_cookie_t
    xcb_composite_get_overlay_window(xcb_connection_t *conn, xcb_window_t window);
```

**Reply datastructure**

```
typedef struct xcb_composite_get_overlay_window_reply_t {
    uint8_t    response_type;
    uint8_t    pad0;
    uint16_t   sequence;
    uint32_t   length;
    xcb_window_t overlay_win;
    uint8_t    pad1[20];
} xcb_composite_get_overlay_window_reply_t;
```

**Reply function**

```
xcb_composite_get_overlay_window_reply_t
    *xcb_composite_get_overlay_window_reply(xcb_connection_t *conn,
    xcb_composite_get_overlay_window_cookie_t cookie, xcb_generic_error_t **e);
```

**REQUEST ARGUMENTS**

*conn*           The XCB connection to X11.

*window*          TODO: NOT YET DOCUMENTED.

**REPLY FIELDS**

*response\_type*   The type of this reply, in this case *XCB\_COMPOSITE\_GET\_OVERLAY\_WINDOW*. This field is also present in the *xcb\_generic\_reply\_t* and can be used to tell replies apart from each other.

*sequence*        The sequence number of the last request processed by the X11 server.

*length*          The length of the reply, in words (a word is 4 bytes).

xcb\_composite\_get\_overlay\_window(3)      XCB Requests      xcb\_composite\_get\_overlay\_window(3)

*overlay\_win*      TODO: NOT YET DOCUMENTED.

## **DESCRIPTION**

### **RETURN VALUE**

Returns an *xcb\_composite\_get\_overlay\_window\_cookie\_t*. Errors have to be handled when calling the reply function *xcb\_composite\_get\_overlay\_window\_reply*.

If you want to handle errors in the event loop instead, use *xcb\_composite\_get\_overlay\_window\_unchecked*. See **xcb-requests(3)** for details.

### **ERRORS**

This request does never generate any errors.

### **SEE ALSO**

### **AUTHOR**

Generated from composite.xml. Contact [xcb@lists.freedesktop.org](mailto:xcb@lists.freedesktop.org) for corrections and improvements.