

NAME

xcb_configure_request_event_t -

SYNOPSIS

```
#include <xcb/xproto.h>
```

Event datastructure

```
typedef struct xcb_configure_request_event_t {
    uint8_t  response_type;
    uint8_t  stack_mode;
    uint16_t sequence;
    xcb_window_t parent;
    xcb_window_t window;
    xcb_window_t sibling;
    int16_t  x;
    int16_t  y;
    uint16_t width;
    uint16_t height;
    uint16_t border_width;
    uint16_t value_mask;
} xcb_configure_request_event_t;
```

EVENT FIELDS

response_type The type of this event, in this case *XCB_CONFIGURE_REQUEST*. This field is also present in the *xcb_generic_event_t* and can be used to tell events apart from each other.

sequence The sequence number of the last request processed by the X11 server.

stack_mode NOT YET DOCUMENTED.

parent NOT YET DOCUMENTED.

window NOT YET DOCUMENTED.

sibling NOT YET DOCUMENTED.

x NOT YET DOCUMENTED.

y NOT YET DOCUMENTED.

width NOT YET DOCUMENTED.

height NOT YET DOCUMENTED.

border_width NOT YET DOCUMENTED.

value_mask NOT YET DOCUMENTED.

DESCRIPTION**SEE ALSO****AUTHOR**

Generated from xproto.xml. Contact xcb@lists.freedesktop.org for corrections and improvements.