

**NAME**

xcb\_create\_cursor -

**SYNOPSIS**

```
#include <xcb/xproto.h>
```

**Request function**

```
xcb_void_cookie_t xcb_create_cursor(xcb_connection_t *conn, xcb_cursor_t cid,  
    xcb_pixmap_t source, xcb_pixmap_t mask, uint16_t fore_red, uint16_t fore_green,  
    uint16_t fore_blue, uint16_t back_red, uint16_t back_green, uint16_t back_blue, uint16_t x,  
    uint16_t y);
```

**REQUEST ARGUMENTS**

<i>conn</i>	The XCB connection to X11.
<i>cid</i>	TODO: NOT YET DOCUMENTED.
<i>source</i>	TODO: NOT YET DOCUMENTED.
<i>mask</i>	TODO: NOT YET DOCUMENTED.
<i>fore_red</i>	TODO: NOT YET DOCUMENTED.
<i>fore_green</i>	TODO: NOT YET DOCUMENTED.
<i>fore_blue</i>	TODO: NOT YET DOCUMENTED.
<i>back_red</i>	TODO: NOT YET DOCUMENTED.
<i>back_green</i>	TODO: NOT YET DOCUMENTED.
<i>back_blue</i>	TODO: NOT YET DOCUMENTED.
<i>x</i>	TODO: NOT YET DOCUMENTED.
<i>y</i>	TODO: NOT YET DOCUMENTED.

**DESCRIPTION****RETURN VALUE**

Returns an *xcb\_void\_cookie\_t*. Errors (if any) have to be handled in the event loop.

If you want to handle errors directly with *xcb\_request\_check* instead, use *xcb\_create\_cursor\_checked*. See **xcb-requests(3)** for details.

**ERRORS**

This request does never generate any errors.

**SEE ALSO****AUTHOR**

Generated from xproto.xml. Contact [xcb@lists.freedesktop.org](mailto:xcb@lists.freedesktop.org) for corrections and improvements.