

NAME

xcb_dri2_buffer_swap_complete_event_t -

SYNOPSIS

```
#include <xcb/dri2.h>
```

Event datastructure

```
typedef struct xcb_dri2_buffer_swap_complete_event_t {
    uint8_t    response_type;
    uint8_t    pad0;
    uint16_t   sequence;
    uint16_t   event_type;
    uint8_t    pad1[2];
    xcb_drawable_t drawable;
    uint32_t   ust_hi;
    uint32_t   ust_lo;
    uint32_t   msc_hi;
    uint32_t   msc_lo;
    uint32_t   sbc;
} xcb_dri2_buffer_swap_complete_event_t;
```

EVENT FIELDS

<i>response_type</i>	The type of this event, in this case <i>XCB_DRI2_BUFFER_SWAP_COMPLETE</i> . This field is also present in the <i>xcb_generic_event_t</i> and can be used to tell events apart from each other.
<i>sequence</i>	The sequence number of the last request processed by the X11 server.
<i>event_type</i>	NOT YET DOCUMENTED.
<i>drawable</i>	NOT YET DOCUMENTED.
<i>ust_hi</i>	NOT YET DOCUMENTED.
<i>ust_lo</i>	NOT YET DOCUMENTED.
<i>msc_hi</i>	NOT YET DOCUMENTED.
<i>msc_lo</i>	NOT YET DOCUMENTED.

xcb_dri2_buffer_swap_complete_event_t(3) XCB Events xcb_dri2_buffer_swap_complete_event_t(3)

sbc NOT YET DOCUMENTED.

DESCRIPTION

SEE ALSO

AUTHOR

Generated from dri2.xml. Contact xcb@lists.freedesktop.org for corrections and improvements.