NAME

```
xcb_dri2_wait_sbc -
```

SYNOPSIS

#include <xcb/dri2.h>

Request function

```
xcb_dri2_wait_sbc_cookie_t xcb_dri2_wait_sbc(xcb_connection_t *conn, xcb_drawable_t drawable, uint32_t target_sbc_hi, uint32_t target_sbc_lo);
```

Reply datastructure

```
typedef struct xcb_dri2_wait_sbc_reply_t {
    uint8_t response_type;
    uint8_t pad0;
    uint16_t sequence;
    uint32_t length;
    uint32_t ust_hi;
    uint32_t ust_lo;
    uint32_t msc_hi;
    uint32_t msc_lo;
    uint32_t sbc_lo;
} xcb_dri2_wait_sbc_reply_t;
```

Reply function

```
xcb_dri2_wait_sbc_reply_t *xcb_dri2_wait_sbc_reply(xcb_connection_t *conn, xcb_dri2_wait_sbc_cookie_t cookie, xcb_generic_error_t **e);
```

REQUEST ARGUMENTS

```
    conn The XCB connection to X11.
    drawable TODO: NOT YET DOCUMENTED.
    target_sbc_hi TODO: NOT YET DOCUMENTED.
    target_sbc_lo TODO: NOT YET DOCUMENTED.
```

REPLY FIELDS

response_type The type of this reply, in this case XCB_DRI2_WAIT_SBC. This field is also present

in the *xcb_generic_reply_t* and can be used to tell replies apart from each other.

sequence The sequence number of the last request processed by the X11 server.

length The length of the reply, in words (a word is 4 bytes).

ust hi TODO: NOT YET DOCUMENTED.

ust lo TODO: NOT YET DOCUMENTED.

msc_hi TODO: NOT YET DOCUMENTED.

msc_lo TODO: NOT YET DOCUMENTED.

sbc_hi TODO: NOT YET DOCUMENTED.

sbc_lo TODO: NOT YET DOCUMENTED.

DESCRIPTION

RETURN VALUE

Returns an *xcb_dri2_wait_sbc_cookie_t*. Errors have to be handled when calling the reply function *xcb_dri2_wait_sbc_reply*.

If you want to handle errors in the event loop instead, use $xcb_dri2_wait_sbc_unchecked$. See **xcb-requests(3)** for details.

ERRORS

This request does never generate any errors.

SEE ALSO

AUTHOR

Generated from dri2.xml. Contact xcb@lists.freedesktop.org for corrections and improvements.