

NAME

xcb_dri3_buffers_from_pixmap -

SYNOPSIS

#include <xcb/dri3.h>

Request function

xcb_dri3_buffers_from_pixmap_cookie_t **xcb_dri3_buffers_from_pixmap**(xcb_connection_t **conn*,
xcb_pixmap_t *pixmap*);

Reply datastructure

```
typedef struct xcb_dri3_buffers_from_pixmap_reply_t {  
    uint8_t response_type;  
    uint8_t nfd;  
    uint16_t sequence;  
    uint32_t length;  
    uint16_t width;  
    uint16_t height;  
    uint8_t pad0[4];  
    uint64_t modifier;  
    uint8_t depth;  
    uint8_t bpp;  
    uint8_t pad1[6];  
} xcb_dri3_buffers_from_pixmap_reply_t;
```

Reply function

xcb_dri3_buffers_from_pixmap_reply_t
***xcb_dri3_buffers_from_pixmap_reply**(xcb_connection_t **conn*,
xcb_dri3_buffers_from_pixmap_cookie_t *cookie*, xcb_generic_error_t ***e*);

Reply accessors

uint32_t ***xcb_dri3_buffers_from_pixmap_strides**(const xcb_dri3_buffers_from_pixmap_request_t
**reply*);

int **xcb_dri3_buffers_from_pixmap_strides_length**(const xcb_dri3_buffers_from_pixmap_reply_t
**reply*);

xcb_generic_iterator_t **xcb_dri3_buffers_from_pixmap_strides_end**(const
xcb_dri3_buffers_from_pixmap_reply_t **reply*);

```
uint32_t *xcb_dri3_buffers_from_pixmap_offsets(const xcb_dri3_buffers_from_pixmap_request_t
    *reply);
```

```
int xcb_dri3_buffers_from_pixmap_offsets_length(const xcb_dri3_buffers_from_pixmap_reply_t
    *reply);
```

```
xcb_generic_iterator_t xcb_dri3_buffers_from_pixmap_offsets_end(const
    xcb_dri3_buffers_from_pixmap_reply_t *reply);
```

```
int32_t *xcb_dri3_buffers_from_pixmap_buffers(const xcb_dri3_buffers_from_pixmap_request_t
    *reply);
```

```
int xcb_dri3_buffers_from_pixmap_buffers_length(const xcb_dri3_buffers_from_pixmap_reply_t
    *reply);
```

```
xcb_generic_iterator_t xcb_dri3_buffers_from_pixmap_buffers_end(const
    xcb_dri3_buffers_from_pixmap_reply_t *reply);
```

REQUEST ARGUMENTS

conn The XCB connection to X11.

pixmap TODO: NOT YET DOCUMENTED.

REPLY FIELDS

response_type The type of this reply, in this case *XCB_DRI3_BUFFERS_FROM_PIXMAP*. This field is also present in the *xcb_generic_reply_t* and can be used to tell replies apart from each other.

sequence The sequence number of the last request processed by the X11 server.

length The length of the reply, in words (a word is 4 bytes).

nfd TODO: NOT YET DOCUMENTED.

width TODO: NOT YET DOCUMENTED.

height TODO: NOT YET DOCUMENTED.

modifier TODO: NOT YET DOCUMENTED.

depth TODO: NOT YET DOCUMENTED.

bpp TODO: NOT YET DOCUMENTED.

DESCRIPTION

RETURN VALUE

Returns an *xcb_dri3_buffers_from_pixmap_cookie_t*. Errors have to be handled when calling the reply function *xcb_dri3_buffers_from_pixmap_reply*.

If you want to handle errors in the event loop instead, use *xcb_dri3_buffers_from_pixmap_unchecked*. See **xcb-requests(3)** for details.

ERRORS

This request does never generate any errors.

SEE ALSO

AUTHOR

Generated from dri3.xml. Contact xcb@lists.freedesktop.org for corrections and improvements.