

**NAME**

xcb\_dri3\_pixmap\_from\_buffer -

**SYNOPSIS**

```
#include <xcb/dri3.h>
```

**Request function**

```
xcb_void_cookie_t xcb_dri3_pixmap_from_buffer(xcb_connection_t *conn, xcb_pixmap_t pixmap,  
xcb_drawable_t drawable, uint32_t size, uint16_t width, uint16_t height, uint16_t stride,  
uint8_t depth, uint8_t bpp, int32_t pixmap_fd);
```

**REQUEST ARGUMENTS**

<i>conn</i>	The XCB connection to X11.
<i>pixmap</i>	TODO: NOT YET DOCUMENTED.
<i>drawable</i>	TODO: NOT YET DOCUMENTED.
<i>size</i>	TODO: NOT YET DOCUMENTED.
<i>width</i>	TODO: NOT YET DOCUMENTED.
<i>height</i>	TODO: NOT YET DOCUMENTED.
<i>stride</i>	TODO: NOT YET DOCUMENTED.
<i>depth</i>	TODO: NOT YET DOCUMENTED.
<i>bpp</i>	TODO: NOT YET DOCUMENTED.
<i>pixmap_fd</i>	TODO: NOT YET DOCUMENTED.

**DESCRIPTION****RETURN VALUE**

Returns an *xcb\_void\_cookie\_t*. Errors (if any) have to be handled in the event loop.

If you want to handle errors directly with *xcb\_request\_check* instead, use *xcb\_dri3\_pixmap\_from\_buffer\_checked*. See **xcb-requests(3)** for details.

**ERRORS**

This request does never generate any errors.

**SEE ALSO****AUTHOR**

Generated from dri3.xml. Contact [xcb@lists.freedesktop.org](mailto:xcb@lists.freedesktop.org) for corrections and improvements.